Minister Johnson Hengalen + Wester. Do14-04-10 Bauren.



TRANSPORTATION AND WORKS

## TENDER BOOK

### PROJECT NO. 10-14PHP

Noon: April 8, 2014

#### **PROJECT NAME**

Rehabilitation of approx. 5 km of R74, Heart's Content Barren's, approx. 1 km of R80 near New Melbourne, approx. 2 km of R70 near Perry's Cove, 1.7 km R70-37, Perry's Cove Road, and 1 km of levelling asphalt in Bay de Verde.

CONTRACTOR	
CONTROLOTOR	

## **ADDENDUM NO. 1**

Project No. 10-14 PHP: Rehabilitation of approx. 5 km of R74, Heart's Content Barren's,

approx. 1 km of R80 near New Melbourne, approx. 2 km of R70 near Perry's Cove, 1.7 km R70-37, Perry's Cove Road, and 1 km

of levelling asphalt in Bay de Verde.

Closing Date: Noon, April 8, 2014

CONTRACTORS ARE ADVISED OF THE FOLLOWING CHANGES TO THE TENDER PACKAGE:

1. Revise the Closing Date for the Tender to: Noon, April 23, 2014

Contractors are advised to acknowledge receipt of this Addendum on page 4, Item No. 10 of the Tender Form, when submitting a bid.

April 8, 2014



### TABLE OF CONTENTS

Part	Description
1	Project Title and Contents
2	Tender Amendment Form
3	Notice to Bidders
4	Tender Form
5	Distribution of Quantities Form
6	Declaration of Equipment Form
7	Declaration of Sub-Contractors Form
8	Construction Schedule Form
9	Supplementary General Conditions
10	Instructions to Bidders
11	General Conditions
12	Form of Agreement



#### LIST OF PROJECT PLANS

5 Location Plans 1 Culvert Detail Old Perlican Paving 3 Sheets



# Transportation and Works TENDER AMENDMENT FORM CLOSING DATE NOON April 8, 2014

Rehabilitation of approx. 5 km of R74, Heart's Content Barren's, approx. 1 km of R80 near New Melbourne, approx. 2 km of R70 near Perry's Cove, 1.7 km R70-37, Perry's Cove Road, and 1 km of levelling asphalt in Bay de Verde.

We the undersigned, modify the unit price table for our request for tenders as indicated below, and also acknowledge that:

a. This change supersedes all previous changes:

b.We accept full responsibility for any lack of confidentiality arising from the use of this process:

c.Failure of the complete revision to arrive on time, accurately, or completely, for any reason, will render these revisions null and void.

	UNIT P	RICE CHANG	ES			
ITEM No.	TENDER ITEM DESCRIPTION	PART	ESTIMATED QUANTITY	+/-	• UNIT PRICE CHANGE	*TENDER AMOUNT CHANGE LESS H.S.T.
	FOR DEPARTMENT USE		Total Chang	e \$		
\$			+ 13% H.S.	r.		
Revised	total tender price as per addendum(s)		II increase / de price (includir			

We acknowledge receipt of the following addenda:		
Contractor		
Address		
Signature	Title	Date

<sup>\*</sup> SHOW UNIT PRICE DIFFERENCES AND EXTENDED AMOUNT CHANGES. DO NOT SHOW REVISED UNIT PRICES OR REVISED EXTENDED AMOUNT. THE CHANGES SHOWN WILL BE MADE TO THE ORIGINAL SUBMITTED TENDER DURING THE TENDER EVALUATION PROCESS.



#### **NOTICE TO BIDDERS**

- 1. THE CLOSING TIME AND DATE OF THIS REQUEST FOR TENDERS IS **NOON** of the day indicated on the cover of this document or as amended by the Deputy Minister.
- 2. Bidders are advised the Department's FAX NUMBER at Tendering and Contracts is 709-729-6729.
- 3. Bidders who are requested to submit the following forms must do so within 72 hours of the time of their notification.
  - (a) The Declaration of Equipment Form
  - (b) The Declaration of Sub-Contractor Form
  - (c) The Construction Schedule Form
- 4. Schedule of Minimum Wage Rates applying to this Tender shall be the latest version approved by the Government of Newfoundland and Labrador.
- (a) Bidders are advised the latest version of the Specifications Book dated January 2008 shall apply to this Tender. The latest version of the Specifications Book is available on the Department of Transportation & Works website at www.tw.gov.nl.ca/publications.
  - (b) The Specifications Book may be inspected at Tendering and Contracts, Dept. of Transportation & Works, Ground Floor-West Wing, Confederation Building, East Block, St. John's, NL.
  - (c) Any amendments and additions to the Specifications Book can be viewed at www.tw.gov.nl.ca/publications.
  - (d) Bidders are advised any reference to specifications in these documents includes the Department's "Specifications Book".
- 6. Bidders are advised the "Use of Bid Depository" Item 9 of the Instructions to Bidders does not apply to this contract. "Bidding Security" Item 3(a) of Instructions to Bidders does apply.
- 7. Bidders are advised when making a bid the COMPLETE REQUEST FOR TENDER FORM for the project being tendered MUST BE RETURNED INTACT. An altered Request for Tender Form originally issued for another project will not be accepted as a bid.



#### Tender for:

Rehabilitation of approx. 5 km of R74, Heart's Content Barren's, approx. 1 km of R80 near New Melbourne, approx. 2 km of R70 near Perry's Cove, 1.7 km R70-37, Perry's Cove Road, and 1 km of levelling asphalt in Bay de Verde.

To: **Deputy Minister** c/o Tendering and Contracts Dept. of Transportation & Works Ground Floor-West Wing, Confederation Building, East Block P.O. Box 8700, St. John's, NL A1B 4J6

#### FROM:

#### Gentlemen:

1.	Having carefully examined the site of the proposed wo the Contract Documents including the Specifications Addenda, and the Instructions to Bidders for this project	s, all dra		
	WE, THE UNDERSIGNED, hereby offer to furnish all plant, tools, and equipment, and everything else require satisfactory manner the work for unit prices totalling the	red to perf		
			(\$	).
	in lawful money of Canada which includes all prime excise taxes, including HST, in force at this date,			
	documents.			

WE ENCLOSE HEREWITH if required by the Instructions to Bidders 3.

of award of Contract and not later than the 30th of September 2015.

a Bid Bond in an acceptable form and correct amount issued by a company (a) licensed to carry on such a business in the Province of Newfoundland and Labrador or



## (b) a certified cheque in the correct amount.

In the event of this tender being accepted within the time stated in Section 4 below and our failure to enter into a contract in the form hereinafter mentioned for the unit prices in our tender the said security may at the option of the Owner be forfeited. The forfeiting of the security does not limit the right of action to the Owner against us for our failure or refusal to enter into a contract.

- 4. IF NOTIFIED IN WRITING BY THE OWNER OF THE ACCEPTANCE OF THIS TENDER WITHIN 30 DAYS OF THE REQUEST FOR TENDER CLOSING DATE SUBJECT TO SUCH OTHER PERIOD AS MAY BE SPECIFIED IN THE TENDER DOCUMENTS, WE WILL:
  - (a) execute the Standard Form of Construction Contract.
  - (b) if specified, furnish the security for the proper completion of the work, the said security, if in the form of bonds, to be issued on an acceptable form.
  - (c) complete substantially all the work included in the Contract within the time and under the conditions specified.
- 5. WE understand that Performance Bond, Labour and Materials Bond and Insurance as required by the Contract Documents must be provided and in force prior to the commencement of any work and satisfactory proof of such be provided to the Owner.
- 6. WE declare that the rates and prices variously set forth in the Schedule of Quantities and Prices (Appendix A) have been correctly computed for the purposes of this Tender and that they include and cover all contingencies and provisional sums and all duties, taxes, and handling charges and all transportation and all other charges.
- 7. WE confirm that the sums herein tendered include all sales taxes, royalties, custom duties, foreign exchange charges, transportation, travelling costs, all overhead and profit, all co-ordination fees, insurance premiums, and all other charges.
- 8. WE understand and agree to list the names of sub-contractors and suppliers whose bids have been used in the preparation of this tender price in Appendix "B". The list will be subject to the approval of the Owner. "By own forces" will be considered valid and satisfactory only if the bidder is recognized by the Newfoundland and Labrador Construction Association or by the Road Builders Association as being a "bona fide" contractor or supplier of that particular trade or item.

WE agree to authorize the Owner to release the names of any sub-contractor used in our tender where such information is requested from the Owner.

WE reserve to us the right to substitute other sub-contractors for any trades in the event of any sub-contractor becoming bankrupt after the date hereof. Any such substitution shall be subject to the approval of the Owner and contingent upon satisfactory evidence of bankruptcy.

9. WE understand and agree that the Owner may order changes to the work in the form of additions or deletions in accordance with the General Conditions, Supplementary General Conditions and the intent of the Contract Documents.

۷٥.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount
			CARRIED I	FORWARD \$	
2	Clearing See SGC # 16	ha	16.2		
4	Excavation Hauled 1km or under				
1(a)	Solid Rock	m3	1880		
4(b)	Ditching Solid Rock	m3	330		
4(e)	Other Material	m3	360		
4(f)	Ditching Other Material	m3	20		
4(i)	Unsuitable Material	m3	2500		
5	Overhaul on Excavation for Each ki	m Hauled Beyond Fr	reehaul Limit		
5(a)	Other Material	m3.km	750		
5(b)	Rock	m3.km	1800		715
	Excavation for Foundation				
6	Excavation for Foundation				
	Solid Rock	m3	55		

NO.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount
VŲ.	TENDERTIEM	Oiiit		FORWARD \$	Amount
7	Supply and Installation of Pipe Culverts A	Muminizied Ty		GC # 23	
	500 mm Diameter	m	90		
7(b)	600 mm Diameter	m	351		
7(c)	800 mm Diameter	m	143		
7(d)	1000 mm Diameter	m	34		
9	Rip Rap Treatment				
9(a)	Hand Laid with Sod	m3	65		
9(f)	Hydraulic Class II (500 mm Diameter)	m3	40		
12	Selected Granular Base Course See SG	GC # 17, 27		))	
2(a)	Granular "A"	t	21075		
2(b)	Granular "B"	t	10280		
13	Cutting Asphaltic Pavement	m	280		
			III. III. I		

NO.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount
			CARRIED I	FORWARD \$	
15	Tack Coat	m2	10600		
16	Hot Mix Asphaltic Concrete See SGC	# 10, 12, 27, 28	, 29, 30,31		
6(b)	Asphaltic Surface Course	t	16310		
6(c)	Asphaltic Levelling Course	t	1180		
6(d)	Liquid Asphalt	t	1121		
6(e)	Blending Sand	t	2620		
6(g)	Asphaltic Patching	m2	330		
17	Supply and Installation of Guide Rail				
	Standard Type Guide Rail	m	467		
7(b)	Standard Type Buried Ends	each	22		
18	Removal of Guide Rail	m	627		
19	Supply & Install Wooden Guide Posts	each	218		

NO.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount
			CARRIED	FORWARD	
20	Supply & Installation of Sign Posts				
0(a)	Type "A"	each	11		
21	Contingency				\$ 8,000.00
22	Flagperson Hours	hrs	4125		
			Bid This		
23	Mobilization & Demobilization	Lump Sum	i litem		
24	Supply & Install Silt Fence	m	80		
26	Backhoe Hours See SGC # 19	hrs	394		1
27	Supply and Installation of Pipe for Sto	orm Sewer & Sub	drain Alumini	zied Type 2	
.7(a)	500 mm Diameter	m	24		
7(b)	600 mm Diameter	m	30		
27(e)	150 mm Diameter Perforated	m	36	6	
28	Disposal of Pipes & Culverts				
			569		

			Estimated	Unit Price	A == ===4
<u>).</u> 	TENDER ITEM	Unit	Quantity	Unit Price	Amount
-			CARRIED I	FORWARD \$	
30	Trenching & Excavation for Catch Basins & S	storm Sev	/ers		
)(a)	Other Material	m3	165		
(b)	Solid Rock	m3	15		
	Select Bedding for Storm Sewers,Subdrain & Catch Basins	m3	55		
22	Asphalt Gutter	m2	360		
"	Aspirati Outto	11-23/1=1			
24	Dulyanina Eviatina Aanhalt	m2	64870		
34	Pulverize Existing Asphalt	1112	1 04070		
25	Cold Display Applied	2	340		
35	Cold Planing Asphalt	m2	] 340		
	Salvage Pipes & Culverts				
(d)	Salvage& Reinstallation <= 1000mm	m	59		
ŀ					
38	Salvage & Reinstallation of Guide Rail Salvage & Reinstallation of Guide Rail with				
3(a)	New Posts	m	69		
	Salvers & Bainstellation of Cuida Bail with		1		
	Salvage & Reinstallation of Guide Rail with Salvaged Posts	m	35		
39	Catch Basins, Manholes & Ditch Inlets				
	Catch Basin Pup	each	3		
"					

NO.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount
			CARRIED	ORWARD \$	
9(b)	Single Inlet Standard Inspection Catch Basin	each	1		
44	Adjustment of Water Valve Boxes	each	2		
	Armour Stone See SGC # 24				
6(b)	Armour Stone 4.0 t min. size	m3	500		
	Ot. Fill in Direct				
	Supply Fill in Place			-	
7(c)	Supply Rock Fill in Place See SGC # 26	t	2260		
7(d)	Supply Rock Fill in Place	m3	6830		
	Removal of Manholes, Catch Basins &				
50	Ditch Inlets	each	1		
404	Continuation Safety Officer	Lump Sum	Bid This		
104	Contractor Safety Officer	Trump Sum	Item		4 -
107	Clean out Existing Catch Basins	each	2	<u> </u>	
	Remove & Dispose Old Asphalt from Bridge				
	Deck See SGC # 21	m2	50		
				8 1	
113	Salvage & Reinstall Existing Guideposts	each	25		
116	Backhoe Hours Without Trucks	hrs	12		

NO.	TENDER ITEM	Unit	Estimated Quantity	Unit Price	Amount	
			CARRIED	FORWARD \$		
117	Supply & Install Guiderail for Structures	m	40			
118	Asphalt Lined Ditch	m	100			
119	Supply and Install Standard Guiderail on 200mm x 200mm posts	m	439			
126	Asphalt paving of treated Bridge Deck including Tack Coat & Joint Sealer See SGC # 22	t	10			
		Total Estim	nated Tender			
		HST 13% of above				
		Total Estimated Tender Including HST Carried Forward to Page 1 of Tender Form				



10. WE hereby acknowledge receipt of the following addenda:

Addendum No.

Addendum No.

11. In order for a Tender to be valid, it must be signed by duly authorized officials as indicated in the Instructions to Bidders.

Firm Name		
Address		Postal Code
Telephone #	Fax#	E-Mail
Witness		Signed
		Name and Title (Print)
		Date
Witness		Signed
		Name and Title (Print)
		Date

CORPORATE SEAL

Part "A" Putherize,
Upgrade and
Reperve approximately J. Stem 6.10 st. R. Land 18.4.2 approximately 1. Stem 6.10 s DISTRIBUTION TABLE NO. TENDER ITEM PROJECT NO 10-14 PHP 16.2 2.7 0.5 o 2 Clearing See SGC # 16 ha 4 Excevelien Hauled 1km or under m3 4(a) Solid Rock Ditching Solid Rock m3 ol ol Other Material m3 o 4(1) Otching Other Material m3 ol m3 ol 8 Overhauf on Excavation for Each km Haufed Beyond Freehauf Limit ol 5(a) Other Material m3 km О o m3 km 5(b) Rock 4 Excevation for Foundation 6(a) Solid Rock 5(b) Other Material m3 7 Supply and Installation of Pipe Culverts Aluminized Type 2 See SGC S 23 미 7(a) 500 mm Demotor 7(b) 600 mm Diameter m Ð ol m 7(c) 800 mm Destrotor m 7(d) 1000 mm Diameter 1 Rip Rep Treatment B(s) Hand Laid with Sod m3 ol Ð ol **m3** 9(1) Hydraulic Class III (500 mm Dismeter) 12 Selected Granular Base Course See SGC # 17, 27 12(a) Granuler "A" ol 12(b) Granular Ti ol 13 Cutting Asphaltic Pavement m 14 Ctoposal of Old Asphable Perce ol m3 이 ol 15 Test Cost m2

Part "A" Pulvertzs,
Upgrade and
Argueve and Reperve approximately 2.32m Part "C" Pulvertz
Approximately 2.32m Part "C" Receive Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m
Approximately 2.32m Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately 2.32m
Approximately DISTRIBUTION TABLE Estimated Quarity Total Quarity TENDER ITEM NO. PROJECT NO. 10-14 PHP 16 Hot Mix Asynomic Concrete See SGC # 10, 12, 27, 28, 29, 36,51 Apphalac Surface Course . 16( Asphaltic Leveling Course ŧ 9.6 6.4 t 16(d) Liqued Apphali ŧ 16(e) Blending Sand o m2 opholis: Polishing 17 Supply and Installation of Guide Rai 17(a) Standard Type Guide Rail each ol 17(b) Standard Type Bured Ends 18 Removel of Quide Red Supply & Install Wooden Guide Pests D ol ol ol m 이 이 each 28 Supply & Installation of Sign Posts ol al 20(a) Type 'A' each ol 21 Contingency 22 Flaguers en Hours
23 Mobilization & Damobilization hrs METH BONT CHE BIO THIS ITEM BED THEO ITEM DID THE STEM BID THES ITEM CHD THES ITEM METH SOFT CH Lump Sum GID THIS ITEM BID THIS ITEM 24 Bupply & Install Bill Fence 26 Backhoo Hours See BGC # 19 hn 27 Bupply and Installation of Pipe for Storm Sewer & Subdrain Alasta sizted Type 2 -ol 27(a) SSU mm Dismeter ol 27(b) 800 mm Diameter -D O 27(e) 150 mm Dumeter Perforated m 28 (Reposal of Pipes & Culverts m 28(b) <= 1000mm Trenching & Excavation for Catch Basins & Storm 6 30(a) Other Material m3 o 30(b) Sold Rock m3

DISTRIBUTION-2

Part "A" Pulverize,
Upgrade and
Reperve approximately 2.21km Part "C" Pulverize
approximately 2.21km Part "C" Pulverize
approximately 2.21km of Reads 71, to 61.81
and Reperve approximately 2.21km Part "C" Pulverize
approximately 1.81km 4.9 to 61.61 Part 1.81 approximately 1.81km ap DISTRIBUTION TABLE ed Quartity Estimated Quartity Total Quartities NO. TENDER ITEM PROJECT NO 10-14 PHP

Select Bedding for Sterm

31 Severa Substrain & Catch Besins o m3 ol 32 Asphall Gutter m2 o 34 Pulverize Existing Asphalt m2 o 35 Cold Planing Asphalt m2 37 Salvago Pipes & Culverts ol ol 37(d) Selvage & Reinstallation <= 1000mm 38 Bahvage & Reinstallation of Guide Rall Salvage & Reinstallation of Guide Rall 38(e) with New Peets Salvage & Reinstallation of Guide Rall 30(b) with Salvaged Poets m 38 Catch Basins, Marsheles & Ditch Inlet 39(a) Cetch Seen Pup Single Inlet Standard Imp 39(b) Seein ol each each 44 Adjustment of Water Valve Bezes each 44 Armour Stone See SGC # 24 o 45(b) Armour Stone 4 0 t mm. size m3 47 Supply FIII in Place ŧ 이 47(c) Supply Rock Fit in Place See SGC #: 47(d) Supply Rock Fill in Place Removal of Manhetes, Catch Bas 84 B. Ditch Inlete o m3 οl ol Ö each 184 Contractor Salety Officer ump Sur 197 Clean out Existing Catch Besins
Remove & Dispuse Old Asphalt fro
112
8ridge Doch See SGC 9.21
8sivage & Reinstall Existing ol ol each ol ol m2 o D 113 Guidepests each 116 Backing Hours Without Trucks Supply & Install Guiderall for 117 Structures o hra 이 ol m o o 이 118 Asphalt Lined Ditch Supply and Install St. m ol Supply and install Standard 119 <u>Guiderall on 200mm a 200mm posts</u> ol ol 이 m



Transportation and Works

# DECLARATION OF EQUIPMENT APPENDIX 'A'

In the event of being awarded the contract, the undersigned will make available for the work, the plant and the equipment listed below.

QTY	DESCRIPTION	CAPACITY	AGE	PRESENT LOCATION	OWNERS NAME
			-18		
-					
CONTR	ACTOR				
ADDRE	ss				
DATE					



# Transportation and Works DECLARATION OF SUB CONTRACTORS APPENDIX 'B'

The Tender submitter also agrees that the following is a complete list of Sub-Contractors that will be required in the performance of the work and that no addition, deletion, or changes to this list will be permitted after the list is submitted.

State OWN FORCES if a Sub-Contractor is not required for any of the trades listed. If additional trades are required, insert in blank spaces.

SUB-CONTRACTOR	ADDRESS	TRADE
		CRUSHING
		SUBGRADE
		PAVING
		STRUCTURE
CONTRACTOR		
ADDRESS		
DATE		



# CONSTRUCTION SCHEDULE FORM APPENDIX 'C'

<u></u>	MONTHS
ITEM DESCRIPTION	WEEK
Project Name	
Contractor	
Address	
Signature	



#### 1. GC17 INDEMNIFICATION

- (a) Except as provided in (b) the Contractor shall be liable for, and shall indemnify and hold harmless the Owner against all claims, demands, losses, costs, damages, actions, suits or proceedings, whatsoever arising under any statute or Common Law:
  - (i) in respect of personal injury to or the death of any person whomsoever arising out of or in the course of or caused by the carrying out of the work; and
  - (ii) in respect of any injury or damage whatsoever to any property, real or personal or any chattel real, insofar as such injury or damage arises out of or in the course of or by reason of the carrying out of the work.
- (b) The Contractor shall not be liable under (a) if the injury, death, loss or damage is due to any act or neglect of the Owner.

#### 2. <u>INSURANCE</u>

Contractors are advised that General Conditions #26 LIABILITY INSURANCE and #27 PROPERTY INSURANCE are revised as follows:

#### GC 26 LIABILITY INSURANCE

#### 26.1 Commercial General Liability Insurance

- (a) Without restricting the generality of GC 17 Indemnification, the Contractor shall provide and maintain, either by way of a separate policy or by an endorsement to his existing policy, Commercial Liability Insurance acceptable to the Owner and subject to limits set out in detail in the Supplementary General Conditions inclusive per occurrence for bodily injury, death, and damage to property including loss of use thereof.
- (b) This insurance shall include as an additional insured Her Majesty the Queen in the Right of Newfoundland. The Contractor shall not commence any work until he obtains, at his expense, all required insurances as specified in the General Conditions and the Supplementary General Conditions. Such insurance must have the approval of the Engineer and be to the limits, form and amounts specified. The Contractor will not permit any Subcontractor to commence work on this Project until the same insurance requirements have been compiled with by the Subcontractor.
- (c) The insurance shall also include as Unnamed Insureds the architectural and engineering consultants of the Owner with respect to work performed by the Contractor, but excluding professional liabilities associated with such architectural and engineering consultants.
- (d) The Commercial General Liability Insurance will not be limited to, but shall include coverage for:



1. premises and operations liability

2 products or completed operations liability

3. blanket contractual liability

4. broad form property damage

5. cross liability

6. elevator and hoist liability

7. contingent employer's liability

8. personal injury liability

liability with respect to non-owned licensed vehicles

 shoring, blasting, excavating, underpinning, demolition, pile driving and caisson work, work below ground surface, tunnelling and grading, as applicable only.

#### 26.2 Automobile Liability Insurance

The Contractor shall provide and maintain liability insurance in respect of:

(i) owned licensed vehicles and

(ii) leased vehicles, subject to limits set out in the Supplementary General Conditions inclusive.

#### 26.3 Aircraft and Water craft Liability Insurance

The Contractor shall provide and maintain liability insurance with respect to owned and non-owned aircraft and Water craft, as may be applicable, subject to limits set out in the Supplementary General Conditions inclusive. Such insurance shall be in the names of the Contractor, Her Majesty the Queen in the right of Newfoundland, the Owner and the Architect/Engineer as defined in 26.1(b) and (c) where they have an insurable interest in the use and operation of such aircraft and watercraft.

- 26.4 Completed operations shall be maintained continuously until twelve (12) months after the date the Architect/Engineer issues a Certificate of Substantial Completion.
- 26.5 All insurance policies shall contain an endorsement requiring notification of Her Majesty and the Named Insured, in writing, thirty (30) days prior to cancellation of any policy or material change except in the event of non-payment where policy conditions dealing with termination will apply.

#### GC 27 PROPERTY INSURANCE

- 27.1 The Contractor shall provide and maintain property insurance, acceptable to Her Majesty the Queen in the right of Newfoundland, insuring the full value of the work in the amount of the contract price and the full value as stated of products for incorporation into the work. The insurance shall include as additional insured Her Majesty the Queen in Right of Newfoundland.
- 27.2 Such coverage shall be provided for by either Broad Form Builders' Risks Policy or an Installation Floater or Piers, Wharves, and Docks Rider.
- 27.3 The policies shall insure on a Broad Form basis direct loss or damage subject to any exclusions specified in the Supplementary General Condition. Such coverage shall apply to:
  - (a) others for which the Insureds may have assumed responsibility, to be used in or



pertaining to the site preparations, demolitions of existing structures, erections and/or fabrication and/or reconstruction and/or repair of the insured project, while on the site or in transit, subject to the exclusion of the property specified.

- (b) the installation, testing and any subsequent use of machinery and equipment including boilers, pressure vessels or vessels under vacuum.
- (c) damage to the Work caused by an accident to and/or the explosion of any boiler(s) or pressure vessel(s) forming part of the work. Such coverage shall exclude construction machinery, equipment, temporary structural and other temporary facilities, tools, and supplies used in the construction of the work and which are not expendable under the Contract.
- 27.4 Policies provided shall contain an endorsement requiring notification of Her Majesty and the Named Insured, in writing, thirty (30) days prior to cancellation of any policy or material change of coverage except in the event of non-payment where policy conditions dealing with termination will apply.
- 27.5 All such insurance shall be maintained continuously until the date the Architect/Engineer issues a Certificate of Substantial Completion. All such insurance shall provide for the Owner to take occupancy of the work or any part thereof during the term of the insurance. Any increase in the cost of this insurance arising out of such occupancy shall be at the Owner's expense.
- 27.6 The policies shall provide that in the event of a loss, payment for damage to the Work shall be made to the Owner and the Contractor as their respective interests may appear. The Contractor shall act on behalf of the Owner and himself for the purpose of adjusting the amount of such loss with the Insurers. On the determination of the extent of the loss, the Contractor shall immediately proceed to restore the Work and shall be entitled to receive from the Owner (in addition to any sum due under the Contract) the amount at which the Owner's interest in the restoration work has been appraised, such amount to be paid as the work of restoration proceeds and in accordance with the Engineer/Architect's certificates for payment. Damage shall not affect the rights and obligations of either party under the Contract except that the Contractor shall be entitled to such reasonable extension of time for Substantial and Total Performance of the work as the Engineer/Architect may decide.
- 27.7 The Contractor shall be responsible for any deductible amounts under the policies and for providing such additional insurance as may be required to protect the insureds against loss on items excluded from the policies. Contractors are also advised that tender documents contain a certificate of insurance indicating type and limit of liability of insurance required for this project. The successful bidder will be required prior to commencement of work, to have the Certificate of Insurance completed by his insurance company and delivered to the Department of Transportation and Works no later than 30 days after the award of the contract.



## **CERTIFICATE OF INSURANCE**

DESCRIPTION & LOCATION OF WORK:

		24 1				
PROJECT NO:	AWARD DA	TE:		VALUE \$:		
INSURER:						
ADDRESS:						
BROKER:						
ADDRESS:						
INSURED NAME OF CONTRACTOR:						
ADDRESS:						
ADDITIONAL INSURED (Excluding Autor The OWNER: The Occupant/Operator of the Property Project Consultants of the OWNER (exc This document certifies that the following terms, conditions and exclusions as contact made between the named insure	: cluding profess policies of insui	ional liabilities) rance and indic	ated coverage a ations of the ins	are at present in force sured in connection wi	subject to the th the above noted	
POLICY TYPE		NUMBER	INCEPTION DATE	EXPIRY DATE Y/M/D	LIMITS OF LIABILITY	
1.1 COMMERCIAL GENERAL LIABILIT	TY or					
1.2 WRAP-UP LIABILITY (Including wi	here				\$2,000,000	
A. BLASTING					Minimum	
B. PILE DRIVING OR CAISSON W	ORK					
C. REMOVAL OR WEAKENING OF	SUPPORT					
2A. BUILDERS' RISK "BROAD FORM"	or	- "			100% Contract	
2B. INSTALLATION FLOATER "BROAD	FORM" or				Value if Exceeds \$25,000	
2C. PIERS, WHARVES, & DOCKS RIDI	ER					
3. AUTOMOBILE LIABILITY INSURAN	ICE				\$2,000,000 Minimum	
AIRCRAFT and/or WATER CRAFT L INSURANCE	IABILITY	Not required				
5. ENVIRONMENTAL IMPAIRMENT LI	ABILITY	Not required				
6. SHIPBUILDER'S or SHIP REPAIRER LIABILITY INSURANCE	R'S	Not required				
7. HULL & MACHINERY INSURANCE, PROTECTION & INDEMNITY Insura 4/4 <sup>th</sup> COLLISION LIABILITY		Not required				
The Insurer agrees to notify the Owner, as change of any policy.	s defined above	e, in writing, this	ty (30) days pric	or to cancellation, term	nination or material	
NAME OF INSURER'S OFFICER OF AUTHORIZED REPRESENTATIVE :		E:		Date:		
				Tele.:		
				Email:		
Issuance of this certificate shall not limit of insurance policies.	or restrict the rig	ght of the Own	er to request at	any time duplicate ce	rtified copies of said	



#### 3. <u>TENDER SURETY AND BONDING</u>

#### (a) Bidding Security

Please delete the sentence

"No bidding security will be required for a tendered amount of less than \$25,000.00, unless specifically called for elsewhere in the tender documents"

and replace with:

"All tenders, regardless of monetary value, require a Bid Security of at least ten percent (10%) of the total tendered amount, with a minimum security of five hundred dollars (\$500,00)." Bid Securities shall be in the form of a Bid Bond or Certified Cheque in favour of the Department of Transportation and Works."

Add the Following:

For tenders less than \$25,000.00, the terms of the Bid Security will be invoked and the amount retained by the Owner, if the Bidder fails to provide the required insurances and commence work within 30 days of being notified of the award of the work within the tender validity period.

The Tender Security of the unsuccessful bidders numbers two & three will be returned to them upon the award of the contract, Tender Securities of bidders higher than three will be returned after the tender opening. The Tender Security of the successful bidder will be retained until the first progress payment.

Bidders are reminded that the failure to submit a bid security in accordance with this requirement will result in rejection of bid submitted.

The Instructions to Bidders may provide for the acceptance, up to the Tender Closing, of amendments documented by telegram, fax, telex or the like. Where a form of Bidding Security other than a Bid Bond is provided with the original tender, an increase in the bid price will render that Bidding Security inadequate. Bidding Security adequate to cover the increased bid price must be provided to the Department prior to tender closing.

For example, if the original bid was submitted at \$100 000.00 with a Bid Security of \$10 000.00 ( $$100 000.00 \times 10\%$ ), and an increase in the bid of \$2 000.00 is submitted by telegram, fax, telex, or the like, then additional Bid Security of \$200.00 ( $$2 000.00 \times 10\%$ ) must be delivered to the Department prior to tender closing.

Failure to provide additional Bid Security prior to tender closing to cover increases to the original bid will make the bid subject to disqualification.



#### (b) Performance Bond

Bidders are advised that the 50% Performance Bond referenced in 3(b) of the Instructions to Bidders will be based on the Contract Price which will either be the subtotal of Tender Prices or the Total Estimated Tender, not including the Harmonized Sales Tax.

#### (c) Labour and Materials Bond

Bidders are advised that the 50% Labour and Materials Bond referenced in 3 (c) of the Instructions to Bidders will be based on the Contract Price which will either be the subtotal of Tender Prices or the Total Estimated Tender, not including the Harmonized Sales Tax.

THE OWNER RESERVES THE RIGHT TO WAIVE THESE REQUIREMENTS IN PART OR IN WHOLE FOR ANY PROJECT, BY FURTHER SUPPLEMENTARY INSTRUCTIONS TO BIDDERS.

#### 4. ISSUANCE OF ADDENDUM

Reference is made to Section 2. (c) Tender Documents in the Instructions to Bidders, regarding the time frame permitted for the issuance of addendum prior to the tender closing date. Change seven (7) days to read five (5) days. Reference is also made to Section 8 Substitution of Materials in the Instructions to Bidders. Change seven (7) days to read five (5) days in the last paragraph of this section.

#### 5. PROVINCIAL PREFERENCE POLICY

Effective June 5, 1998 the Provincial Preference Act has been repealed. Please delete GC 46 - Provincial Preference Policy, Instructions to Bidders - Section 11 Provincial Preference Policy, or Notice to Bidders - Section 9, and any other references to Provincial Preference contained in the specifications.

#### 6. SCOPE OF WORK

Contractors are advised the PROJECT shall include, but will not be limited to, the scope as outlined in the following summary.

Part A; Pulverize and Repave approximately 5.2 km of Route 74 on the Heart's Content Barrens, km 4.9 to km 10.1.

This section includes roadside ditch clean out, replacement and installation of culverts, accommodation of traffic, installation of guide rail, guide posts, and sign posts, pulverizing existing pavement, placement of rock fill, grade changes at various areas with the addition of rock fill including between approximately km 5.3 and km 6.3, subexcavation at various areas including at approximately km 9.3, widening the rock cut near km 6.0 (left side), placement of granular "B", granular "A", paving two 50mm lifts of surface course asphalt, and shouldering with granular "B".

This section also includes clearing from km 4.9 to km 16.0.



This section includes the supply and installation of two 1000 mm CSP culverts at km 7.4, Monument Pond, the removal and disposal of the existing culverts, unwatering, accommodation of traffic, excavation for foundation, placement of hydraulic rip rap, backfill and compaction, placement of granulars.

Subject to Cash Flow Constraints, a portion of this work (subgrade work) shall be carried out in 2014, up to a maximum total tender value for parts "A" of \$1,135,000, while the balance of the work shall be completed as part of the 2015/2016 fiscal year. Please refer to SGC # 14 for further details.

Part B; Pulverize and Repave approximately 2.3 km of Route 70, near Perry's Cove, km 55.0 to 55.5 and km 58.2 to km 60.0.

This section includes clearing, roadside ditch clean out, supply and installation of culverts, placement of rock fill for widening, pulverizing and levelling sections of the existing asphalt, placement of granular "B" and granular "A", paving two 50 mm lifts of surface course asphalt, shouldering with granular "B".

Part C; Pulverize and Repave approximately 1.7 km of Route 70-37, Perry's Cove Road.

This section includes roadside ditch clean out, supply and installation of culverts and storm sewer, pulverizing the existing asphalt, placement of granular "A", paving surface course asphalt, and shouldering with granular "A".

Part D; Upgrading and paving levelling asphalt approximately 1.0 km of Route 70 at Bay de Verde, km 114.5 to km 115.5.

This section includes roadside ditch clean out, replacement and installation of culverts, the installation of storm sewer, installation of guide rail, placement of tack coat, paving levelling course asphalt, and shouldering with granular "A".

Part E; Pulverize, Upgrade, Repave, approximately 1.0 km, Route 80 at New Melbourne, km 87.7 to 88.7.

This section includes clearing, roadside ditch clean out, replacement and installation of culverts, accommodation of traffic, installation of sign posts, pulverizing sections of the existing asphalt and disposal of sections of the existing pavement, placement of rock fill, unsuitable material and solid rock excavation, placement of granular "B", granular "A", paving two lifts of surface course asphalt, and shouldering with granular "A" and "B".

Part F; Armour Stone Repairs at Route 80, Cavendish.

This section shall include armour stone repairs along the beach at Route 80, Cavendish.



#### Part G; Street Upgrading & Paving Kelly's Lane Town of Old Perlican

Upgrade and pave 190 metres of Kelly's Road at Old Perlican including but not limited to; the supply and placement of granular base class "A", granular "A" shouldering, surface course asphalt, asphalt swale, and other associated work.

#### Part "H" Street Upgrading & Paving Polly's Hill Town of Old Perlican

Pulverize and repave 130 metres of Polly's Hill at Old Perlican including but not limited to; pulverizing, ditch cleanout, placing rock backfill, the supply and placement of granular base Class "A", granular "A" shouldering, surface course asphalt, asphalt swale and other associated work.

#### 7. SPECIFICATIONS BOOK

Contractors are advised that the specifications book of the Department of Transportation and Works dated MARCH 2011 and the 2012 and 2013 Errata apply to this project. specifications available the Internet are on http://www.tw.gov.nl.ca/publications/specbook2011.pdf following and on the pages: http://www.tw.gov.nl.ca/ under Road Contractors... section: the http://www.tw.gov.nl.ca/publications/index.html under Manuals section http://www.tw.gov.nl.ca/road.html . It is the contractor's responsibility to ensure that the correct version of the specifications book is used when bidding on this project.

#### 8. **BONA FIDE STATUS**

Contractors are advised that Item No. 8 of the Tender Form is revised as follows:

#### Delete the paragraph:

"WE understand and agree to list the names of sub-contractors and suppliers whose bids have been used in the preparation of this tender price in Appendix "B". The list will be subject to the approval of the Owner. "By own forces" will be considered valid and satisfactory only if the tenderer is recognized by the Newfoundland and Labrador Construction Association or by the Road Builders Association as being a "bona fide" contractor or supplier of that particular trade or item.

And replace with the following:

"WE understand and agree to list the names of sub-contractors and suppliers whose bids have been used in the preparation of this tender price in Appendix "B". The list will be subject to the approval of the Owner." The bona fide status of a contractor will be determined by the Owner and decisions made by the Owner will be final.



#### 9. LIQUIDATED DAMAGES

If the completion date of the whole of the works is later than the completion date specified in the contract, liquidated damages for such default shall be payable by the Contractor to the Owner. The rate per day will be determined as the total of the department's direct costs associated with maintaining a presence and carrying out contract administration duties on the project. The costs to be recovered as liquidated damages will include, but will not be limited to, salaries including overtime, for the normal staff compliment on the project, travel costs for the normal staff compliment on the project, vehicle rental charges, fuel for vehicles, and other equipment rental charges, such as survey equipment, which may be utilized on the project.

Depending on the scope of work, there may be other direct or indirect costs to the department, which will also be deemed to be recoverable as liquidated damages. These costs could be substantial.

No bonus will be assessed for completing the project ahead of the given completion date.

Contractors, by submission of their tender, shall be deemed to have accepted these terms.

#### 10. PETROLEUM PRODUCTS COST ADJUSTMENT

#### **Fuel Cost Adjustment**

Adjustments will be made to progress estimates to reflect changes in fuel prices from The Benchmark Tender Price to those in effect during construction. The Benchmark Tender Price shall be the price established by the Newfoundland and Labrador Board of Commissioners of Public Utilities, Petroleum Pricing Office, at time of tender closing. Increases or decreases in excess of 10% of the Benchmark Tender Price will be paid or deducted accordingly.

For the calculation of adjustments the governing price will be the price in place at the 21<sup>st</sup> of the month for the zone in which the majority of the contract is being carried out, established by the Newfoundland and Labrador Board of Commissioners of Public Utilities, Petroleum Pricing Office. This price will apply for the period from the 21<sup>st</sup> of that month to the 20<sup>th</sup> of the following month. This adjustment will include any changes in taxes outlined in GC 22.2. No adjustments will be made for price changes resulting from the use of the "Interruption Formula".

The adjustment for fuel cost variation shall apply only to those items given in the accompanying list. For other tender items, there will be no fuel cost adjustments.

The adjustments shall be computed based on changes in the governing price, as defined above, in excess of or less than the Benchmark Tender Price at time of production. The Engineer shall then calculate the adjustment to be stated in the Monthly Progress Estimates. No adjustment will be made due to an increase in the price on fuel used after the identified contract completion date or approved contract extension date but adjustments due to a decrease in the price of fuel will be made after the identified contract completion date or approved contract extension date.

For the contract items included in the accompanying list, the fuel cost adjustment shall be calculated using the quantity of the item added to the progress estimate since the last estimate.



1-litre	Nominal Fuel Consumption Rate			
Contract Item	Clear Diesel Fuel (3)	Furnace Oil (3)	Marked Diesel Fuel (4)	
Excavation Other Material (1)	2.0 l/m <sup>3</sup> or 1.0 l/t	N/A	N/A	
Excavation Solid Rock (2)	3.0 l/m³ or 1.1 l/t	N/A	N/A	
Granular "A" and Maintenance Grade III	1.0 l/t (5&6)	N/A	0.7 l/t	
Granular "B"	1.0 l/t (5&6)	N/A	0.5 l/t	
Asphaltic, Base Surface & Levelling Courses	2.0 l/t (5)	11.0 l/t	0.7 l/t	
Overhaul on excavation items only	0.4 l/m³-km	N/A	N/A	

- (1) Excavation Other Material shall also include Ditching Other Material, Other Material Borrow, Other Material Fill in Place, Unsuitable Material, Bog, and Excavation for Foundation Other Material.
- (2) Excavation Solid Rock shall also include Ditching Solid Rock, Quarried Rock, Rock Fill in Place, and Excavation for Foundation Solid Rock.
- (3) Clear diesel fuel adjustment and furnace oil adjustment applies to the respective items at the time of excavation or placement as applicable.
- (4) Marked diesel fuel adjustment applies to granular material and asphalt aggregate at the time of production. If the crusher used to produce the granular material or asphalt aggregate is not powered by a diesel generator, there will be no adjustment for marked fuel. If a contractor uses granular material or asphalt aggregate that was crushed previous to the project, there will be no adjustment for marked fuel.
- (5) If the granular material or asphalt aggregate is produced from a rock quarry source, an additional 0.15 l/t of clear diesel fuel will be added to the quantity shown in the table applicable at the time of drilling and blasting.
- (6) If the tender identifies Granular A, Granular B or Maintenance Grade III to be stockpiled for use by the Department of Transportation and Works, then the Nominal Fuel Consumption Rate to apply to stockpiled aggregate will be 0.50 l/t for Clear Diesel.

#### Liquid Asphalt Cost Adjustment

Adjustments will be made to progress estimates for work completed in the second year of the contract to compensate for changes in liquid asphalt cement prices between the Benchmark price



and the prices in effect in the second year of contract work. Benchmark Monthly adjustments will be made to progress estimates to compensate for changes in liquid asphalt cement prices between the Benchmark price and prices in effect at the beginning of the second year and on the 20th day of the months following work startup. No cost adjustments will be made for changes to the Benchmark prices that are less than or equal to  $\pm$  \$10/tonne.

The Benchmark price for this contract shall be the average selling price set for June 2, 2014 to June 6, 2014 quoted in Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement. (This price will be disclosed when available.) The Benchmark Adjustment price in effect for the months following in the second year of the contract shall be the average selling price for PG58-28 asphalt cement as quoted in Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area on June 1, 2015 and the 20th day of the months following during construction in year 2 of the contract.

Adjustments shall be calculated based on the relative difference between the Benchmark price and the Benchmark Adjustment price in effect. The cost adjustment shall be calculated by taking the full amount of the relative difference (provided it is more than  $\pm$  \$10/tonne) and multiplying it by the tonnage of liquid asphalt cement used during the period leading up to the price in effect on the 20<sup>th</sup> day of the month. The Engineer shall calculate the adjustment for payment or credit each for each monthly progress payment after June 1<sup>st</sup> 2015 for inclusion on the Monthly Progress Estimate.

No adjustments will be made due to an increase in the price of liquid asphalt cement used after the specified completion date, or an approved extension date. However, adjustments will be made due to a decrease in the price of liquid asphalt cement used after the specified completion date, or an approved extended completion date for the original work in the contract.

Examples of price adjustment calculations on progress payments throughout the project are as follows:

Example #1: (this example is completely fictitious)

Tender closed April 20, 2014

Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement average is \$680 (June 2 to June 6, 2014 following in which tender closed)

Paving work carried out between June 1, 2015 to June 20, 2015 results in net amount of liquid used = 724 t

Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement average June 1, 2015 is \$685

No adjustment for liquid asphalt used up to June 20, 2015 since differential is less than \$10

Paving work carried out up to July 20th results in net amount of liquid used = 724t
Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt
cement average for June 20th is \$720

Adjustment for liquid asphalt used up to July 20, 2015 = (\$720 - \$680) X 724t = \$28,960 payment



Example #2: (this example is fictitious and is based on 2012 and 2013 liquid asphalt price trend)

Tender closed May 1, 2014

Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement average is \$715 (June 2 to June 6, 2014 following in which tender closed)

Paving work carried out between June 1, 2015 to June 20, 2015 results in net amount of liquid used = 724 t

Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement average June 1, 2015 is \$680

Adjustment for liquid asphalt used up to June 20, 2015 = (\$680 - \$715) X 724t = \$25,340 deduction

Paving work carried out up to July 20th results in net amount of liquid used = 724t
Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt
cement average for June 20th is \$672.50
Adjustment for liquid asphalt used up to July 20, 2015 = (\$672.50 - \$715) X 724t = \$30,770
deduction

Paving work carried out up to August 20th results in net amount of liquid used = 724t
Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt
cement average for July 20th is \$645
Adjustment for liquid asphalt used up to August 20, 2015 = (\$645 - \$715) X 724t = \$50,680
deduction

Paving work carried out up to September 20th results in net amount of liquid used = 724t Poten and Partners Asphalt Weekly Monitor® for Montreal, Quebec area for PG58-28 asphalt cement average for August 20th is \$622.50 Adjustment for liquid asphalt used up to September 20, 2015 = (\$622.50 - \$715) X 724t = \$66,970 deduction

Overall Liquid Asphalt adjustment in example 2 = \$173,760 deduction

#### 11. WARRANTY CHANGE TO GENERAL CONDITION NO. 31

Contractors are advised that General Conditions #31 WARRANTY is revised as follows:

#### GC31 WARRANTY

31.1 Without restricting any warranty or guarantee implied or stipulated by law the Contractor shall at the Contractor's own expense rectify and make good any defect or fault however caused appearing within a period of two (2) years from the date of Substantial Performance of the Work provided that the Contractor shall not be responsible for any defect or fault resulting from the design of the work.



- 31.2 The Contractor shall correct and/or pay for any damage to other work resulting from any corrections required under the conditions of 31.1.
- 31.3 Neither the Engineer/Architect's final certificate nor payment thereunder shall relieve the Contractor from the Contractor's responsibility hereunder.
- 31.4 The Owner and/or the Engineer/Architect shall give the Contractor written notice of observed defects promptly.
- 31.5 In any case where the Contractor claims that the Contractor is not responsible for a defect or fault because the Contractor claims such a defect or fault results from a design of the work by the Owner, the onus to establish that the same is so in the first instance shall be on the Contractor.
- 31.6 The Contractor shall, subject to the procedures for Settlement of Disputes contained in GC 16, abide by the direction and decisions of the Engineer/Architect made pursuant to the General Conditions and in particular GC 7 regarding the correction by the Contractor of any defect or fault in the work discovered during the warranty period referenced in GC 31.1 hereof.
- 31.7 The Contractor shall submit a schedule for the completion of the warranty work in respect of the defect or fault referenced in 31.1 hereof, which schedule must be acceptable to the Engineer/Architect within thirty (30) days of the Engineer/Architect requesting in writing such a schedule from the Contractor.
- 31.8 Where the Contractor rectifies and makes good any defect or fault for which the Contractor is responsible under this Warranty, the Contractor shall warrant the portion of the work that is corrected for a further two (2) years from the date that the correction was done.

#### 12. PAYMENTS ON ACCOUNT OF PAVEMENT SMOOTHNESS OR ASPHALT DENSITY

No payment shall be made to the Contractor pursuant to Sections 330.05.09.06.03 and 330.05.10.02 or Sections 330.06.09.03 and 330.06.09.05 of the Specifications Book that is referenced in SGC 7 before the end of the warranty period provided for in GC 31.1 and shall not be made if a warranty claim has been made under GC 31 until that warranty claim has been resolved. If a warranty claim has not been made by the Owner under GC 31 or if a warranty claim has been made under GC 31 and resolved, any payment(s) due to the Contractor pursuant to Sections 330.05.09.06.03 and 330.05.10.02 or Sections 330.06.09.03 and 330.06.09.05 of the Specifications Book shall be made within thirty (30) days of the later of the resolution of the warranty claim or the expiration of the warranty period referenced in GC 31. If a warranty claim has not been resolved no payment shall be made to the Contractor pursuant to Sections 330.05.09.06.03 and 330.05.10.02 or Sections 330.06.09.03 and 330.06.09.05 of the Specifications Book that is referenced in SGC 7.



#### 13. OCCUPATIONAL HEALTH AND SAFTEY DIRECTIVES

Contractors are advised portions of Section 190 of the Specifications, Occupational Health and Safety, have been revised in the 2012 and 2013 Errata for the 2011 Specifications Book to be consistent with the OHS Regulations, commonly seen OHS orders, as well as, some areas of best practice.

Contractors are advised that the specifications book of the Department of Transportation and Works dated MARCH 2011 and the 2012 and 2013 Errata are available on the following page http://www.tw.gov.nl.ca/publications/index.html.

#### 14. CASH FLOW CONSTRAINTS

The Contractor is advised that up to March 31st, 2015, cash flow for this project is limited to a total of \$1,135,000 for Part "A"-by Dept. Transportation and Works. Any work performed in excess of this amount under Part "A" shall be paid for after the commencement of the 2015/2016 fiscal year on April 1, 2015. If payment is not made by the owner within sixty (60) days of this date, then the owner shall be liable for interest costs as stipulated under section 21.3 of the General Conditions of this tender.

In light of the above, the Contractor is advised that, at a minimum, all work associated with Parts "B" through "H" of this project must be completed during the 2014/2015 fiscal year.

#### 15. MUNICIPAL WORK

Contractors are advised that work under Parts "G" and "H" of the Tender Document will be managed by Harris & Associates Ltd. Work shall be carried out and paid for in accordance with the latest version and revisions of the Department of Transportation Specifications. The Department of Transportation and Works will have no involvement in this part of the project. Contractors should contact representatives of Harris & Associates Ltd. (596-5391) for further information on contract details. The Contractor will be required to sign separate contract documents with the Town of Old Perlican or its designate for completion of this work.

The Contractor shall invoice the Town of Old Perlican or its designate for payment of this portion of the contract.

All costs associated with mobilization and demobilization for this portion of the work should be included in the unit prices for this section of the work.

#### 16. <u>ITEM NO. 2 OF THE UNIT PRICE TABLE - CLEARING</u>

Contractors are advised that sections of this work are located within residential areas. Accordingly, the use of mechanical equipment such as tree harvesters/mulchers is strictly



prohibited in the residential areas. All clearing must be completed using chainsaws or a process approved by the Resident Engineer.

Contractors are advised that any additional labour, materials, equipment use shall be deemed incidental to the work and no additional compensation shall be made for this work.

#### 17. CONTAMINATION OF PRIVATE WELLS

Contractors are advised that there are numerous private and community wells located throughout the various areas of the project. Contamination of water supplies and damages to water pumps, water heaters, etc., as a result of staining or sedimentation from the placement of granulars, rock, or other material will be the responsibility of the contractor to remedy. The Contractor shall assume all damage liability to persons or properties caused by reason of his operations on this contract.

#### 18. UNDERGROUND FACILITIES

The contractor is advised there are hydro lines, telephone conduits, water and sewer lines, local household water and sewer lines and private wells located throughout each section of the project.

It is the contractor's responsibility to contact local residents, municipal authorities, building managers and utility companies to determine the location of all underground facilities within the project limits before commencing work.

The contractor shall conduct his work operations in a manner as not to damage any property or facilities. If any damage should happen, the contractor shall make good at his own expense.

The contractor is reminded of the requirements of Section 130 of the Specification Book "Protection Against Negligence and Damage."

#### 19. <u>ITEM NO. 26 OF THE UNIT PRICE TABLE – BACKHOE HOURS</u>

Contractors are advised that sections of this project require road side ditch clean-out through communities, which may require a ditching bucket for the excavator.

If any properties are disturbed during ditching operations, the contractor shall repair the affected area and replace any sods as directed by the Engineer.

Measurement for payment and basis for payment is covered in section 250 of the Specification Book, "Backhoe Hours".



# 20. DISPOSAL OF WASTE MATERIALS

Waste materials; including surplus other material, condemned culverts and catch basins, old concrete structures, ditching and unsuitable material, grubbing, old pavement and waste asphalt, and such other materials as the Engineer may direct, shall be loaded in trucks and hauled away and disposed of at an approved waste disposal area. The waste disposal area shall be provided by the Contractor at his own expense. The debris shall be covered with waste other material and graded and trimmed to sightly proportions.

Prior to the commencement of the work and the disposal of any waste materials at the local municipal dump, at any private property or any locations within the local municipal boundaries, the Contractor shall receive written approval from the property owners and permits from the local municipal authorities and immediately provide the Engineer with a copy.

Overhaul will not be paid for any waste material, including unsuitable material and other material.

# 21. <u>ITEM NO. 112 OF THE UNIT PRICE TABLE - REMOVAL & DISPOSAL OF SURFACE ASPHALT FROM BRIDGE DECKS:</u>

The Contractor is advised that it is a requirement of this project to remove the existing asphaltic pavement from the bridge decks at km 59.5 on Route 70.

The physical removal of existing materials is a requirement, however, cold milling or excavators with teeth on their buckets for removal of the existing asphalt and/or waterproofing from the deck shall not be permitted.

The contractor shall be responsible for the disposal of all waste materials at an approved location acceptable to the Engineer.

Payment for the removal and disposal of the existing asphalt materials and waterproofing from the specified bridge deck shall be compensation in full for all labour, materials and equipment use as required to remove and dispose of all existing asphalt and waterproofing from the existing bridge deck.

# 22. <u>ITEM NO. 126 OF THE UNIT PRICE TABLE – ASPHALTIC PAVING OF TREATED BRIDGE DECK INCLUDING TACK COAT AND JOINT SEALER.</u>

A requirement of the project is the resurfacing of the bridge decks at km 59.5 on Route 70.

Contractors are advised that the work shall be done in accordance with Section 330 Hot Mix Asphaltic Concrete and Section 922 Asphaltic Paving of Bridge Decks and Approaches of the Department's Specification Book.

Measurement for payment shall be the actual tonnage of hot mix asphaltic concrete placed on the treated bridge deck and concrete approach slabs as directed by the Engineer. No



separate payment will be made for liquid asphaltic cement, blending sand, tack coat or joint sealer.

The basis of payment shall be at the contract unit price for the asphaltic paving of treated bridge decks shall include full compensation for all equipment, labour, materials and plant necessary to prepare, sweep and clean the deck, supply and apply hot tack coat, pave the bridge and concrete approach slabs, form and fill the grooves with joint sealing compound to seal the surface of the asphaltic concrete adjacent to curbs and traverse joints. Also included is the supply and transportation of all blending sand and asphaltic cement from the source to the mixing plant.

Payment for the surface course asphalt shall be paid under item 113 "Asphaltic Paving of Treated Bridge Decks" of the unit price table.

Measurement for payment and basis of payment shall be per Section 330 and 922 of the Department's Specification Book.

# 23. <u>ITEM NO. 7. OF THE UNIT PRICE TABLE – SUPPLY AND INSTALLATION</u> OF PIPE CULVERTS ALUMINIZED TYPE 2

The contractor is advised to consult with the engineer prior to ordering culverts as quantities may differ from those given in the Distribution Table.

# 24. ITEM NO. 46 OF THE UNIT PRICE TABLE; ARMOUR STONE

# General

It is the intention of this item to supply and place armour stone for erosion protection. Slope protection is required along the beach at Cavendish behind the existing timber seawall.

# Installation of Armour Stone

Armour Stone installation shall be carried out with the following conditions:

- (i) Excavation for foundation for Armour Stone placement shall be considered incidental to the Item.
- (ii) The actual configuration and extent of armour stone is to be finalized in the field by the Engineer.
- (iii) Access to the worksite shall be considered incidental to the Item. Any damage to existing asphalt shall be repaired at the contractor's expense.



# Payment

Payment shall be per cubic metre bid under Item No. 46(b) "Armour Stone" of the Unit Price Table. Payment shall be full compensation for all labour, materials and equipment to supply and place armour stone as outlined above and as detailed in section 615 of the Department Specifications book.

The supply and placement of rock fill in place is not considered incidental and is paid for under separate items. Excavation of the slope to accommodate the armour stone at the toe is considered incidental to the work of this item.

Reshaping existing armour stone shall be paid under the Item 116 "Backhoe Hours Without Trucks".

# 25. <u>CO-ORDINATION WITH OTHER CONTRACTORS</u>

The Contractor is advised that other contractors may be working within the limits of this project at the same time that this project is under construction.

The Contractor shall cooperate with the other contractors, in order to prevent delays for either or all of them. The Department will not be held liable for, and will not accept claims from the Contractor, for claims based on delays caused by the activities of utility companies or by theirs or other contractors.

# 26. <u>ITEM NO. 47(c) OF THE UNIT PRICE TABLE - SUPPLY ROCK FILL IN PLACE</u>

Contractors are advised that rock fill shall be used to re-establish subgrade shoulders or in other areas as directed by the engineer. Benching of slopes may be required prior to the placement of rock fill.

No additional payment will be considered for materials excavated to form benches.

# 27. WASHROOM FACILITIES FOR SCALEHOUSES

In addition to the specifications as outlined in Section 501.04 Weight Scales of the Department of Transportation and Works Specification Book, contractors are advised that all scale houses must be equipped with suitable facilities that meet the OHS Act and Regulations under Sections 13 and 14 of the Regulations. These facilities must be within 100m of the scale house.

These facilities must be provided for use of the Transportation & Works employees only for the duration of the project while scales are being used. Other accommodations must be provided for contractors/subcontractors personnel.



The sanitary provisions shall be in accordance with the various Provincial Government and Municipal Government Regulations.

If portable toilets are used they must be a minimum of 2m (height) x 1m x 1m and must be approved by the Government Service Center. The contractor shall transport the waste from these units, using a collection company (whenever possible) licensed by Government Service Center. Otherwise, transportation and disposal shall be by a means and a facility or location as approved by the Government Service Center.

Toilet facilities must also be approved by the Resident Engineer. These facilities must be cleaned twice weekly and in the case of a portable toilet, emptied of sewage as well. Contractor must also supply toiletries for the facility. Also, adequate and suitable provisions for washing (hot and cold water, soap, towels or ample supply of hand sanitizer liquid) must be included with facility. The door to the facility must contain a lock and a key shall be provided to the Resident Engineer.

All costs associated to provide and maintain the sanitary provisions as discussed above are incidental to the contract.

# 28. HOT MIX ASPHALTIC CONCRETE ANTI-STRIPING ADDITIVE

Contractors are advised Section 330.02.01.05 of the Specifications have been modified for this project as follows:

# 330.02.01.05 Anti-Stripping Additive

For this project an approved anti-stripping additive shall be added to all Hot Mix Asphaltic Concrete. The anti-stripping additive may be either an approved liquid anti-stripping additive or hydrated lime (Ca(OH)<sub>2</sub>) with each meeting the requirements outlined as follows.

If an approved liquid anti-stripping additive is utilized it shall be added to all Hot Mix Asphaltic Concrete at a minimum application rate of 0.5% of additive by weight of asphalt cement or the recommended percentage as determined from Lottman test results. Approved liquid anti-stripping additives include the products AD-here LOF 6500 (ARR-MAZ Custom Chemicals) and Redicote C-3082 (Akzo Nobel Chemicals). All other products must be approved by the Department's Materials Engineering Division.

Suppliers of the asphalt cement and anti-stripping additives shall provide in writing all mixing requirements and proof of product compatibility. Treated asphalt PG binders must meet the relevant performance grade specifications.

Contractors must inform the Engineer and advise workers of the proper procedures, use of protective clothing and equipment when handling anti-stripping additives. Hot mix asphaltic concrete with liquid anti-strip additives is known to produce strong odours. Contractors must ensure the mix materials are used under proper environmental conditions to guarantee the safety and comfort of construction personnel and the public.

Modified Lottman tests in accordance with AASHTO T 283 Resistance of Compacted Hot Mix Asphalt (HMA) to Moisture-Induced Damage shall be completed within the mix design procedure to determine if



the minimum application rate is sufficient. An additional rate of anti-strip and/or an alternate anti-stripping additive will be required if one of the following conditions occurs as determined by AASHTO T 283:

- The tensile strength ratio of the hot mix asphalt concrete is less than 0.80
- There is visual evidence of stripping. Acceptable specimens shall have a visual stripping rating
  of 1.0 or lower based on a scale from 0 to 10 (with 0 being no visual stripping and 10 being
  fully stripped).
- The results of the mix utilizing neat hot mix asphalt concrete (or with no anti-stripping additive) significantly exceed the performance of the mix with the anti-stripping additive.

In addition to AASHTO T 283 requirements, the asphalt hot mix containing the anti-stripping additive shall pass a boiling water test in accordance with ASTM D3625 Standard Practice for the Effect of Water on Bituminous-Coated Aggregate Using Boiling Water within the mix design procedure. The pass criterion for ASTM D 3625 is 95% or greater retained bitumen coating of aggregate.

An additional rate of anti-strip and/or an alternate anti-stripping additive will also be required if the aggregate is known to be prone to stripping from past performance and the minimum application rate was insufficient.

If additional or alternative anti-stripping additives are required, a further 10 working days will be required after the Contractor has advised the Department of its new anti-strip proposal and all materials have been received by the Materials Engineering Division. The Contractor and his supplier shall provide sample materials, any technical information and Manufacturer's recommended application rates.

Modified Lottman Tests (AASHTO T 283) and Boiling Water Tests (ASTM D3625) shall also be conducted on field produced samples of hot mix. All field produced samples shall also pass the requirements above.

Where hydrated lime is used as an anti-strip additive the dosage requirement-shall be the greater of one half (1/2) percent by mass of total dry aggregate, or the recommended percentage as determined from the Lottman and Boiling Water test results.

Where hydrated lime is utilized the hydrated lime shall be added to all aggregates by either of the following methods:

- (a) Hydrated lime slurry shall be homogeneously mixed with the aggregate in a pug-mill or tumble mixer prior to entering the asphalt plant (the hydrated lime slurry shall be produced at the approximate rate of 1 part lime to 3-4 parts water).
- (b) Dry hydrated lime shall be homogeneously mixed with wetted aggregate in a pug-mill or tumble mixer prior to entering the asphalt plant. The wetted aggregate shall have a minimum moisture content of 2% by weight for coarse aggregate and 3% by weight for fine aggregate.

Hydrated lime shall be mixed with the aggregate at least 4 hours prior to entering the asphalt plant. Aggregate treated with hydrated lime shall be used within the same construction season. Treatment shall include both coarse and fine aggregate components of the asphalt aggregate.

Where hydrated lime is to be utilized, the Contractor shall provide the Department with complete information on how the hydrated lime is to be used in the treatment of aggregates. Hot mix produced containing hydrated lime, shall conform to all requirements of the contract before acceptance. The design amount of hydrated lime will be added as a percentage of the total dry aggregate weight.

The cost of all anti-stripping additives (including hydrated lime) will be borne by the Contractor no separate or additional payment will be made.



# 29. GENERAL REQUIREMENTS OF PAVEMENT MIXTURE

Contractors should pay particular attention to the general requirements of the pavement mixture as the surface course gradation has been modified for this project.

Contractors are advised Section 330.02.02.01 of the Specifications have been modified for this project as follows:

# 330.02.02.01 General Requirements for Pavement Mixture

The mixture shall consist of suitably graded fine and coarse aggregate thoroughly mixed with asphalt cement as specified. Blending sand, filler and chemical additives shall be added when required.

Unless otherwise specified, the aggregates shall be combined in such proportions as to produce a mixture conforming to the grading of Table 3.

TABLE 3
Asphalt Aggregate Mixtures

ETHICATOR TO BE SERVED	Percent Passing by Dry Weight				
Sieve Size	Surface Course RCU 80 and above	Surface Course RLU 80 and below	Levelling Course Type I**	Base & Levelling Course Type II***	
22.0 mm	100	100	100	100	
19.0 mm	100	100	100	90-100	
12.5 mm	93-100	93-100	75-100	75-90	
9.5 mm	75-92	75-92	63-95	63-84	
4.75 mm	50-65	55-70	35-78	35-55	
2.00 mm	32-55	32-55	20-55	20-42	
0.425 mm	16-25	16-25	10-25	10-25	
0.150 mm	5-12	5-12	5-12	5-12	
0.075 mm	2-5*	2-5*	2-5*	2-6°	
Asphalt Cement (% By Weight of Total Mixture)	4.5 – 7.0	4.5 – 7.0	4.5 – 7.0	4.5 – 7.0	

\* The dust/effective asphalt ratio of all mixtures shall be between 0.6 and 1.2. Dust is defined as material passing the 0.075 mm sieve.

\*\* Levelling Course Type I to be used where thickness of compacted lift is to be less than or equal to 30 mm.

\*\*\* Levelling Course Type II to be used where thickness of compacted lift is to be greater than 30 mm. Once a mix design has been designated or approved by the Engineer, the Contractor shall be required to produce a pavement mixture conforming to the following mix control tolerances. The mix must still fall inside the gradation envelopes of Table 3.

Individual Sample Tolerance for Production of Combined HMA

Aggregate Passing 19.0 mm sieve	± 5%
Aggregate Passing 12.5 mm sieve	± 5%
Aggregate Passing 9.5 mm sieve	± 5%
Aggregate Passing 4.75 mm sieve	± 5%



Aggregate Passing 2.00 mm sieve	± 4%
Aggregate Passing 425 µm sieve	± 3%
Aggregate Passing 150 µm sieve	± 2%
Aggregate Passing 75 µm sieve	± 1%

# 30. PHYSICAL REQUIREMENTS OF ASPHALT AGGREGATE -COARSE AGGREGATE

Contractors are advised Section 330.02.01.02.01 of the Specifications have been modified for this project as follows:

#### 330.02.01.02.01

# **Coarse Aggregate**

Coarse Aggregate shall consist of hard, durable crushed stone or crushed gravel particles, reasonably uniform in quality and free from soft or disintegrated pieces. The portion of material retained on the 4.75 mm sieve shall be known as coarse aggregate. The coarse aggregate stockpile shall contain no more than 10% passing the 4.75 mm screen.

Coarse Aggregates shall be washed if necessary to have clean surfaces free from coatings of foreign matter. Coarse Aggregates shall conform to the physical requirements shown in Table 1.

Irrespective of compliance with the physical requirements of Tables 1, any coarse aggregate may be accepted or rejected on the basis of past field performance at the discretion of the department.

TABLE 1
Physical Requirements For Coarse Aggregates

		HIGHWAY CLASSIFICATION			
TEST METHOD	TEST NO.	RAU & RAD-100 R RCU-		RLU-80, RLU-70 RLU-80	
		SURFACE	BASE	ALL COURSES	
LOS ANGELES ABRASION - % MAXIMUM (A)	ASTM C131	35	35	35	
ABSORPTION - % MAXIMUM	ASTM C127	1.75	2	2	
MAGNESIUM SULPHATE - SOUNDNESS - 5 CYCLES - % MAXIMUM (B)	ASTM C88	12	12	12	
PETROGRAPHIC NUMBER - MAXIMUM	CSA A23.2-15A	135	135	135	
FREEZE-THAW TEST - 5 CYCLES - % MAXIMUM	CSA A23.2-24A	8	10	10	
CRUSHED PARTICLES -% MINIMUM (C)	ASTM D5821	90	90	70	
FLAT & ELONGATED PARTICLES - % MAXIMUM (D)	ASTM D 4791	20	20	20	
LOSS BY WASHING - % MAXIMUM PASSING (E)	ASTM C117	1.75	1.75	1.75	
MICRO DEVAL - % MAXIMUM	ASTM D 6928	17	20	20	
CLAY LUMPS -% MAXIMIM	CSA A23.2-3A	1	1	1	
LOW DENSITY PARTICLES - % MAXIMUM	CSA A23.2-4A	1	1	1	
FRIABLE OR SLATEY SILTSTONE - % MAXIMUM	CSA A23.2-15A	1	1	1	



Notes:

- (A) The ratio of the loss after 100 revolutions to the loss after 500 revolutions shall not exceed 0.265.
- (B) Test to be conducted on basalt rich or highly absorptive (> 1.5%) aggregates.
- (C) Pieces having two or more freshly fractured faces only will be considered as crushed material. Pieces with only small chips removed will not be considered as crushed.
- (D) Flat and elongated pieces are those whose greatest dimension exceeds four times their least dimension.
- (E) When only quarried rock is used as a source of coarse aggregate, a maximum of 2 percent passing the 75 μm sieve shall be permitted.

The Contractor must meet all the requirements above, while the guidelines below are provided for information purposes. The Contractor is responsible for ensuring the combination of aggregate conforms to the grading requirements of Table 3.

#### Percent Passing by Dry Weight Sieve Size Surface Course & Base Course & Levelling Course Type ! Levelling Course Type II 22.0 mm 100 100 19.0 mm 100 85-100 85-100 50-80 12.5 mm 9.5 mm 45-75 25-60 4.75 mm 0-10 0-10

# **Guidelines for Coarse Aggregate Gradation**

# 31. PHYSICAL REQUIREMENTS OF ASPHALT AGGREGATE - FINE AGGREGATE

Contractors are advised Section 330.02.01.02.02 of the Specifications have been modified for this project as follows:

330.02.01.02.02

# **Fine Aggregate**

Fine aggregate shall consist of clean, tough, rough-surfaced grains, free from clay, loam and other foreign matter. The fine aggregate stockpile shall contain no more than 20% retained on the 4.75 mm screen.

For RCU-80 and above highway classifications the maximum allowable percentage in total of all natural occurring fine aggregates plus blending sand in the total combined aggregate shall be 15% (by dry weight). For RLU-80 and below highway classifications the maximum allowable percentage in total of all natural occurring fine aggregates plus blending sand in the total combined aggregate shall be 20% (by dry weight).

For all base and levelling type II course mixes the fine aggregates maximum percentage passing the 75  $\mu$ m sieve is limited to 7% prior to mix production at the asphalt plant. All surface and levelling type I course mixes the fine aggregates maximum percentage passing the 75  $\mu$ m sieve is limited to 6 % prior to mix production at the asphalt plant.

Irrespective of compliance with the physical requirements of Tables 2 any fine aggregate may be accepted or rejected on the basis of past field performance at the discretion of the department.



TABLE 2
Physical Requirements for Fine Aggregates

		HIGHWAY CLASSIFICATION		
TEST METHOD	TEST NO.	RAU & RAD- RAD-90,	Company of the Compan	RLU-60, RLU-70 RLU-80
		SURFACE	BASE	ALL COURSES
MICRO-DEVAL TEST FOR FINE AGGREGATE - % MAXIMUM	ASTM D 7428	17	20	20
PLASTICITY INDEX	ASTM D4318	0	0	0
SAND EQUIVALENT - % MINIMUM	ASTM D 2419	50	50	50
FINE AGGREGATE ANGULARITY - % MINIMUM (A)	ASTM C 1252	45	45	45

#### Note:

(A) FAA tests shall be conducted on a representative sample of the total fine aggregate inclusive of all fine aggregate materials as indicated in the mix design including blending sand. The test will be conducted in accordance with Standard Graded Sample Method A

The Contractor must meet all the requirements above, while the guidelines below are provided for information purposes. The Contractor is responsible for ensuring the combination of aggregate conforms to the grading requirements of Table 3. Contractors should also be aware of material breakdown after crusher production testing for the material being utilized and their plants capabilities in producing the mixture in accordance with Table 3.

#### **Guidelines for Fine Aggregate Gradation**

	Percent Passing by Dry Weight			
Sieve Size	Surface Gourse & Levelling Gourse Type I	Base Course & Levelling Course Type II		
9.5 mm	100	100		
4.75 mm	90-100	85-100		
2.00 mm	40-60	40-90		
0.425 mm	10-30	20-55		
0.150 mm	5-16	10-25		
0.075 mm	2-6	2-7		

# 32. ITEM 104 OF THE UNIT PRICE TABLE: Contractor Safety Officer (CSO)

Contractors are advised that a Contractor Safety Officer (CSO) is required for this project. All requirements associated with a CSO are outlined in Section 190 of the Departments Highway Specifications Book as well as the following amendments to section 190.3.3.

# 190.3.3 CONTRACTORS SAFETY OFFICER

.1 Each Contractor must have a Contractor Safety Officer (CSO). The CSO will be responsible for the implementation and monitoring of the Project Site Specific Safety Plan, and will have



the authority to implement all health and safety changes including those deemed necessary by the Resident Engineer/Supervisor. All requirements outlined within Section 190.3.3 apply to the CSO. The CSO must be responsive to concerns raised by the Department's Resident Engineer/Supervisor and issues raised by Service NL Occupational Health and Safety Division personnel and ensures that the Site Specific Safety Plan addresses all aspects of the project. The Contractor Safety Officer must be a person other than the Contractor's project supervisor.

- .2 A resume for the CSO, acceptable to the Department, is required to demonstrate how each of the requirements noted below are satisfied.
  - .1 Completed training in hazard recognition evaluation, inspections, analysis and control.
  - .2 Completed training in accident and incident investigations and reporting.
  - .3 Completed training in WHMIS.
  - .4 A working knowledge of site safety and housekeeping.
  - .5 Experience in the development and implementation of safe work practices and procedures.
  - .6 Knowledge, understanding and experience in the use of the Traffic Control Manual
  - .7 Flag persons training certified by the WHSCC.
  - .8 Knowledge and experience in trenching and excavation that includes an understanding of the Occupational Health and Safety NL Regulations 5/12.
  - .9 Power line hazards training certified by the WHSCC.
  - .10 Knowledge and understanding of equipment maintenance and inspections required for preventive safety.
  - .11 Training and experience in the use, care and maintenance of PPE to be used on site.
  - .12 Completed training in Standard First Aid.
  - .13 Complete understanding, knowledge and familiarity with the Site Specific Safety Plan, applicable codes and standards as well as the Occupational Health and Safety Act and Regulations that include the newly released parts XXVII XXXIII related to Mining.
  - .14 Supervisory training and/or experience.
- .3 Where the work and/or contract require high risk activities, specific training of the CSO may be necessary and required by the Department before a person is acceptable as a CSO in specific areas of safety. The list below is in no way an all-encompassing list of required training, though it represents some of the areas of high risk encountered in past contracts and the training required to mitigate and control hazards related to the specified activities. The Contractor will be responsible through the risk assessment conducted during the development of the site specific safety plan to identify areas of high risk and ensure that the CSO is competent and has adequate knowledge to ensure adequate controls are in place to mitigate the risks to workers and abide by all applicable legislation, codes and standards.
  - .1 Completed training in the use and maintenance of fall protection systems certified by the WHSCC.
  - .2 Completed training in the design, construction and inspection of scaffolding as referenced in the applicable CSA Standard.
  - .3 Completed training in confined space entry protocols, techniques and rescue plan as certified by the WHSCC.
  - .4 Completed training in hazardous materials management and response/protocols.

# .4 The CSO shall:

1. Review the Site Specific Safety Plan (SSSP) prior to submission to the Department to ensure that it satisfies all the requirements detailed in Section 190 of the Department's Highway Specification Book.



- 2. Address all safety concerns brought to their attention in a timely fashion depending on the severity of the hazard. If the Resident Engineer specifies a response date then that time must be respected.
- 3. Be responsible for implementing, daily enforcement, monitoring and updating of the Site Specific Safety Plan.
- 4. Be competent and qualified with respect to the project tasks and elements.
- 5. Be responsible for the delivery of the site safety orientation and ensure that the personnel who have not been orientated are not permitted to enter the site. Copies of the orientations are to be forwarded to the Resident Engineer by no later than 21 days of project startup and after that within 21 days after they are conducted.
- 6. Report directly to the site superintendent or Contractor's Project Manager.
- Have sole and absolute discretion regarding all safety related decisions. A
  CSO may have other related duties that will not impede ability to carry out the
  functions of the CSO.
- 8. Prior to mobilization on-site, hold an orientation meeting with the contractors, and subcontractors performing work at, on or related to the project site and with Owner's Representative to review project Occupational Health and Safety. The meeting will include but not be limited to a review of:
  - a. Site Specific Safety Plan.
  - b. Construction Safety Measures.
  - c. Supervision and Emergency Rescue Procedures.
  - d. Hazard Assessments
- 9. Maintain a daily log of inspections, meetings, infractions, accidents and incidents, and mitigating measures. This log is to be filed twice a week and copied to the Contractor's site superintendent. These reports must be forwarded to the Resident Engineer on a weekly basis.

# .5 BASIS OF PAYMENT

The Contractor is advised that payment at the lump sum price to the Contractor for the CSO shall be compensation for all labour, supplies, and equipment necessary for the CSO to complete their duties.

The bid price for this contract item shall not exceed the limits given in the following table for a CSO.

Total Estimated Tender (including CSO Lump Sum Price but not including HST)	CSO Tender Item Maximum Bid Price Permitted
First \$100,000	5% of this value – maximum of \$5,000
Greater than \$100,000	\$5,000 + 1% of the amount that the Total Estimated Tender exceeds \$100,000

The Contractor will be paid this item based on a percentage of the tender value they completed during the pertinent progress payment period. A value of 10% of this Lump Sum cost is to be paid on the first progress estimate.



Should the bid amount exceed the specified limits outlined above, the tender may be considered unbalanced.

#### .6 LIQUIDATED DAMAGES FOR NON-COMPLIANCE

- If there is an infraction the Contractor will be given one written warning for failure to comply with this specification. The next three infractions will result in Liquidated Damages of \$500/day for non-compliance. For each successive infraction the Liquidated Damages increases to \$1,000/day. The possibility of project shutdown or termination exists at any time where the Contractor fails to observe the provisions of Section 190 and the Department's Resident Engineer and the Department believe such action is warranted from a safety and/or contractual perspective.
- .2 The Department will document and provide the Contractor with notification, either verbal or written, when an infraction has been noted so as to allow the Contractor to develop corrective actions to preventive future infractions.
- .3 Infractions include, but are not limited to:
  - .1 CSO not present on site as required.
  - .2 Safety reports not provided within specified timelines.
  - .3 Violation of any portion of Section 190 or the Contractors' SSSP without disciplinary action or an investigation by the CSO. This includes not adhering to their SWP's, safety procedures, OH&S Act and Regulations, and policies.



GOVERNMENT OF NEWFOUNDLAND AND LABRADOR

Dept. of Transportation & Works
P.O. Box 8700, St. John's, NL, A1B 4J6

The report below is to be completed on a monthly basis by all contractors engaged in Construction/Maintenance and or other project work for the Government of Newfoundland and Labrador, Department of Transportation and Works.

Please attach information pertaining to items highlighted with an asterisk (\*)

Contractor Information Contractor/Company Name Report Prepared By Ending: Report for Period Beginning: **Project and Location Contact Number** Name Contact Contract Manager Contractor CSO Site Manager Monthly OHS Performance Indicators Leading Indicators Lagging Indicators Indicate the total within reporting Records Indicate the total within Monthly Total Monthly Total available period above reporting period above Tool Box Talks (safety specific)\* **Lost Time Injuries** OHS Committee/Rep Meetings\* **Working Days Lost** Return to Work Plans Bi-Weekly Project Meeting Site Safety Orientations First Aid Incidents Medical Aid Incidents Site Inspections\* Hazard Reports Submitted Total Hours Worked (site) Hazard Assessments Conducted\* Accident /Incident reports Traffic Control Signage Log Accident Incident Completed\* Investigations Conducted\* **OHS Division Activities** OHS Division Directives Issued\* **OHS Division Inspections** Sub-Contractor Information COR Name sub-contractors Certified Days on site Description of work conducted by sub-contractors working on site (Y/N) Training Information Records Brief description of training conducted with safety or work Training conducted with Total staff trained avallable practice focus staff (Y/N) Equipment Maintenance Non-Routine maintenance All equipment Annual equipment List maintenance Records required? Identify inspections conducted passed inspection conducted Available (Y/N) equipment (Y/N) (Y/N) Signature: Report completed on:



GOVERNMENT OF NEWFOUNDLAND AND LABRADOR

Dept. of Transportation & Works
P.O. Box 8700, St. John's, NL, A1B 4J6

# **Definitions**

First Aid incident – An Occupational Injury/Illness that requires first aid treatment only and does not result in loss of time from work or Restricted Work.

**Medical aid incident** – A classification of Occupational Injury/Illness for Medical Treatment beyond First Aid Injury where there has been no Lost Days. i.e: Visit to a health care provider or hospital specific to the injury

**Lost-Time Injury** – An injury/illness resulting in Lost Days beyond the date of injury as a direct result of an Occupational Injury/illness incident on the project.

**Working Days Lost** – The number of calendar days that the employee is unable to work beyond the day of injury specific to the project in which the injury occurred. Calculate total days for all employees working on the project.

**Total Hours Worked** –Total number of hours of employment (i.e., the actual worked hours) of all employees for each contractor and sub-contractor companies for the reporting period specific to the project.

Accident - An undesired event resulting in death, ill health, injury, damage or other loss.

Incident -- An unplanned, undesired event that had the potential to cause injury or other damage.

Accident/Incident Report – all accidents and incidents must be reported, whether through an internal reporting structure or through the WHSCC employers form 7. All accidents of a serious nature must also be reported to the OHS Division with in 24 hours (serious accidents re outlined in section 54(3) of the OHS Act)

**Accident/Incident Investigation** – is an investigation by the employer into the root cause of an accident or incident to identify hazards and prevent workplace accidents/incidents from recurring.

Newformaland Labrador	and ir		DEPAR	TMENT OF TR Contractor Daily 7	ANSPOR	DEPARTMENT OF TRANSPORTATION AND WORKS  Contractor Daily Traffic Control and Signage Log			
Chandilles	LouisenPujed	Account the number of the separate beyond	Current conditions/accounted of signage	Committee and eventual conditions	Signature and adjustment for the work and conditions (T/M)	blenth detainmen sumbling prior is the commercement of rock and any regarding requiring	Report complehent by	Storage extension returns date and time of extension elements.	Taw Engineer (date and time)
									,
									1



# **UNIT PRICE TABLE**

# INDEX

# **INSTRUCTION TO BIDDERS**

PAGE		ITEM
1		Index
2	1.	Tender
2	2.	Tender Documents
2-3	3.	Tender Surety and Bonding
3	4.	Completion of Tender Form
3	5.	Unacceptable Tenders
4	6.	Amendments to Tender
4	7	Withdraw of Tender
4	8.	Substitution of Materials
4	9.	Use of Bid Depository
4	10.	Acceptance of Tender



# Transportation and Works INSTRUCTIONS TO BIDDERS

#### 1. TENDERS

(a) Envelopes containing the Tender are to be clearly marked identifying the Project No. and the Project Name as shown on the Tender Form, and the envelopes to be addressed:

# **Deputy Minister**

c/o Tendering and Contracts Section, Dept. of Transportation & Works, Ground Floor-West Wing, Confederation Bldg., East Block, P.O. Box 8700, St. John's, NL A1B 4J6

The name and address of the Bidder and the closing time and date must be shown on the envelope.

- (b) Tenders must be received by Tendering and Contracts Section, Department of Transportation and Works on or before the exact closing time and date indicated in the advertisement or as amended by the Deputy Minister. TENDERS RECEIVED AFTER THAT TIME WILL NOT BE CONSIDERED.
- (c) The Form of Agreement is included in the Contract Documents at the time of tender requests for the purpose of information to Bidders and shall not be completed at the Time of Tender submission.
- (d) Before submitting a Tender, bidders shall carefully examine the Contract Documents and the site of the proposed work and fully inform themselves of the existing conditions and limitations. No subsequent allowance under the Contract Documents will be considered for any Bidder who had failed to become familiar with all aspects of the work.
- (e) The Owner will not defray any expenses incurred by the bidders in the preparation and submission of their tenders.

# 2. TENDER DOCUMENTS

- (a) The Tender Documents consist of the Instructions to Bidders, Tender Form, Agreement, Drawings, Specifications, and any Amendments to the Contract Documents issued during the tender period.
- (b) Every interpretation of or addition to the contract Documents to be considered a valid part of the Contract Documents will be issued in the form of a written addendum.
- (c) No addendums will be issued less than seven (7) days prior to the closing date of the Tender.

# 3. TENDER SURETY AND BONDING

# (a) Bidding Security

Every bidder shall submit with their Tender a bid bond issued by an approved Surety Company licensed to do business in the Province of Newfoundland and Labrador and made out in favour of the Department of Transportation and Works. The bid bond shall be at least ten percent (10%) of the tendered amount. No bidding security will be required for a tendered amount of less than \$25,000 unless specifically called for elsewhere in the tender document. An approved certified cheque may be substituted in lieu of the bid bond. The bidding security will be returned upon receipt of the Performance and Labour and Materials Bonds. The terms of the bid security will be invoked and the amount retained by the Owner if the Bidder fails to enter into an agreement when notified of the award of the work within the tender validity period; or fails to provide the Performance and Labour and Materials bonds in the amount and within the period specified.

# (b) Performance Bond

A Performance Bond will be required in the amount of fifty percent (50%) of the contract price. The Performance Security is to be received not later than two (2) weeks after the award of the contract by the letter of intent and prior to the formal execution of the agreement. No work is to be undertaken until the Performance Security has been received. Performance Security will not be required for a contract value of less than \$25,000. In lieu of the Performance Bond, the Minister may accept at his sole discretion an approved certified cheque for ten percent



(10%) of the tendered amount. The cheque will be retained until satisfactory completion of the work including the guarantee period, after which this amount will be returned to the contractor together with the accrued interest thereon at the current bank rate.

# (c) Labour and Materials Payment Bond

A Labour and Materials Payment Bond will be required in the amount of fifty percent (50%) of the contract price. The Labour and Materials Payment Bond is to be received not later than two (2) weeks after the award of the contract by the letter of intent and prior to the execution of the formal agreement. No work is to be undertaken until the Labour and Materials security has been received. Labour and Materials security will not be required for a contract valued at less than \$25,000.

In lieu of the Labour and Materials Bond, the Minister may accept at his sole discretion and approved certified cheque of ten percent (10%) of the tendered amount. The cheque will be retained until substantial completion of the work as defined by the Mechanics Lien Act and upon receipt of a completed and approved Statutory Declaration Form. This security, if in the form of a cheque, will be returned to the Contractor together with the accrued interest thereon at the current bank rate.

#### 4. COMPLETION OF TENDER FORM

- (a) The Tender Form is to be completed in its entirety and submitted in the envelopes provided and the name of the Bidder entered in the "Name of Bidder" space on the tender envelope. The Bidder should retain a copy of the tender for their records.
- (b) Type or legibly print the information required on the Tender Form.
- (c) Type or legibly print the Bidder's full business name and address in the spaces provided on the Tender Form.
- (d) Sign the Tender Form in the space provided as indicated:
  - In the case of a Sole Proprietorship signature, Sole Proprietor will sign where indicated in the presence of a witness who will sign where indicated. Insert the words "Sole Proprietor" next to the signature. In the case of a Partnership signature, all partners will sign where indicated in the presence of a witness who will sign where indicated. Insert the work "Partner next to signatures".
  - In the case of a Limited Company, signatures of authorized signing officers will sign where indicated, in the presence of a witness who will sign where indicated, and the corporate seal will be affixed. Indicate next to signature the corporate title of each signer.
- (e) The attention of the Bidder is drawn to the necessity of legibly pricing each and every item in any schedule of quantities and of calculating the units and totals exactly correct to agree with the tender amounts. Failure to do so will be sufficient grounds for rejection.
- (f) Spaces or Appendices will be provided with the Tender Form if required for a list of sub-contractors, use of bid depository, contractor's experience, list of equipment. All such spaces and appendices must be completed in their entirety, legibly by the typewriter or by printing in ink.
- (g) If it becomes necessary to correct an error made on the Tender Form, such correction must be initialled and dated by the person or persons signing the Tender Form.

# 5. UNACCEPTABLE TENDERS

- (a) Tenders not submitted on the Tender Form provided will not be considered.
- (b) Telegraphic or telex tenders will not be accepted.
- (c) Tenders received after the Tender Closing time will not be considered.
- (d) Incomplete Tenders will be rejected.
- (e) Tenders not accompanied by an approved security in the correct amount will be rejected.
- (f) Tenders containing qualification or additional clauses to the Tender Form will be rejected.
- (g) Incorrectly prepared tenders may be rejected.



# 6. AMENDMENTS TO TENDER

Properly documented amendments to the Tender will be permitted up to the Tender closing time. Amendments documented by telegram, fax, telex, or written form will be acceptable.

# 7. WITHDRAWAL OF TENDERS

Bids may be withdrawn without penalty in written form, by fax, telegram, or by telex request if received prior to the time fixed for the opening.

# 8. SUBSTITUTION OF MATERIALS

- (a) Tenders shall be based upon using the materials or products as specified without substitution. Where two or more brand names are specified the choice shall be left to the Contractor. Where only one brand name is stated there shall be no substitution.
- (b) Where the Specifications include the "or approved equal" clause, substitutions may be proposed provided that:
  - 1. the request for a substitution is made in writing at least fourteen (14) days prior to the bid date;
  - 2. the request shall clearly define and describe the product for which the substitution is requested;
  - the substituted article is equivalent to the specified article with regards to design, function, appearance, durability, operation and quality.

Approval of the substitution by the Architect/Engineer shall be in form of an addendum to the Specifications issued at least seven (7) days prior to the Tender closing date to all of those contractors listed as having received a copy of the Contract Documents.

# 9. USE OF BID DEPOSITORY

The attention of the Bidder is drawn to the fact that the Bid Depository of the Newfoundland and Labrador Construction Association will be used for the Trade as listed in Appendix \_\_\_\_\_.

#### 10. ACCEPTANCE OF TENDER

- (a) The Owner will not necessarily accept the lowest or any tender.
- (b) Upon written acceptance of the tender within the tender validity period, the Tender Form becomes part of the Contract Documents and the successful bidder becomes the Contractor. The Contractor will be required to execute a formal agreement with the Owner within thirty (30) days of the date of the letter of intent.



# Transportation and Works GENERAL CONDITIONS OF UNIT PRICE CONTRACT

# INDEX

SECTION	PAGE	INDEX
1	2-3	Definitions
2	3	Documents
3	3	Additional Instructions and Schedule of Work
4	4	Documents Provided
5	4	Documents on the Site
6	4	Ownership of Documents and Models
7	4	Engineer's/Architect's Decisions
8	4-5	Delay
9	5	Owner's Right to do Work
10	5-6	Owner's Right to stop Work or Terminate Contract
11	6	Contractor's Right to stop Work or Terminate Contract
12	7	Other Contractors
13	7	Assignment
14	7-8	Subcontractors
15	8	Emergencies
16	8	Settlement of Disputes and Claims
17	8	Indemnification
18	8-9	Changes in the Work
19	9-10	Valuation and Certification of Changes in the Work
20	10	Application for Payment
21	10-12	Certificates and Payments
22	12	Taxes and Duties
23	12-13	Laws, Notices, Permits and Fees
24	13	Patent Fee
25	13	Workmen's Compensation
26	13-14	Liability Insurance
27	14-15	Property Insurance
28	15-16	Protection of Work and Property
29	16	Damages and Mutual Responsibility
30	16	Bonds
31	16-17	Warranty
32	17	Contractor's Responsibilities and Control of the Work
33	17	Superintendence
34	17	Labour and Products
35	17-18	Subsurface Conditions
36	18	Use of Premises
37	18	Cleanup and Final Cleaning of Work
38	18	Cutting and Remedial Work
39	18-19	Inspection of Work
40	19	Rejected Work
41	19-20	Shop Drawings
42	20	Samples
43	20	Tests and Mix Designs
44	20	Materials and Substitutions
45	20-21	Labour
46	21	Provincial Preference Policy
47	21	Time of Essence
-r r	21	Fillio of Epodino



# Transportation and Works GENERAL CONDITIONS OF UNIT PRICE CONTRACT

#### **GC1 DEFINITIONS**

# 1.1 Contract Documents

The Contract Documents consist of the instruction to Bidders, executed Agreement, General Conditions of Contract, Supplementary General Conditions of Contract, Specifications, Drawings and such other documents as are listed in Article A-2 of the Agreement, including all amendments thereto incorporated before their execution and subsequent amendments thereto made pursuant to the provisions of the contract or agreed upon between the parties. The Successful Bidder's tender, and any addenda to the Specification issued during the bidding period shall also form part of the Contract Documents.

# 1.2 Owner, Engineer/Architect, Contractor

The Owner, Engineer/Architect and Contractor are the persons, firms or corporations identified as such in the Agreement and referred to throughout the Contract Documents as if singular in number and masculine in gender. The Term Owner, Engineer/Architect and Contractor means the Owner, Engineer/Architect or Contractor or their authorized representatives as designated by each party in writing.

#### 1.3 Subcontractor

A Subcontractor is a person, firm or corporation having a direct contract—with the Contract to perform a part of the Work included in the Contract, or to supply products worked to a special design according to the Contract Documents, but does not include one who merely supplies products not so worked.

#### 1.4 The Project

The Project is the total construction of which the work performed under the Contract Documents may be the whole or a part.

#### 1.5 Products

The term Products means all material, machinery, equipment and fixtures forming the completed work as required by the Contract Documents but does not include machinery and equipment used for preparation, fabrication, conveying and erection of the Work and normally referred to as construction machinery and equipment.

# 1.6 The Work

Work includes the whole of the works, materials, matters and things required to be done, furnished and performed by the Contractor under the Contract.

#### 1.7 Materials and Equipment

The term Materials and Equipment means all materials, machinery, equipment and fixtures forming the completed work as required by the Contract Documents but does not include machinery and equipment used for preparation, fabrication, conveying and erection of the work and normally referred to as construction machinery and equipment.

#### 1.8 Other Contractor

The term Other Contractor means any person, firm or corporation employed by or having a separate contract directly or indirectly with the Owner for work other than that required by the Contract Documents.

#### 1.9 Time

The Contract Time is the time stated in Article A-1(c) of the Agreement for Substantial Performance of the Work.

(a) The date of Substantial Performance of the Work is the date certified by the Engineer/Architect.

(c) The term day, as used in the Contract Documents, shall mean the calendar day.



(d) The term working day means any day observed by the construction industry in the area of the place of building.

#### 1.10 Substantial Performance

A Contract shall be deemed to be substantially performed

- (a) when the work or a substantial part thereof is ready for use or is being used for the purpose intended; and
- (b) when the work to be done under the contract is capable of completion or correction at a cost of not more than
  - (I) three per centum of the first two hundred and fifty thousand dollars (\$250,000) of the contract price,
  - (ii) two per centum of the next two hundred and fifty thousand dollars (\$250,000) of the contract price, and
  - (iii) one per centum of the balance of the contract price.

#### 1.11 Total Performance

Total Performance shall mean the entire work has been performed to the requirements of the Contract Documents and is so certified by the Engineer/Architect.

#### GC2 DOCUMENTS

2.1 The Contract Documents shall be signed in duplicate by the Owner and the Contractor.

2.2 Words which have well known technical or trade meanings are used in the Contract Documents in accordance with such recognized meanings.

2.3 In the event of conflicts between Contract Documents the following shall apply:

(a) Documents of later date shall govern.

(b) Figured dimensions shown on the Drawings shall govern even though they may differ from scaled dimensions.

(c) Drawings of larger scale shall govern over those of smaller scale of the same date. (d)Specifications shall govern over Drawings

- (e) The General Conditions of Contract shall govern over Specifications.
- (f) Supplementary General Conditions shall govern over the General Conditions of the Contract.
- (g) The Agreement shall govern over all documents

# GC3 ADDITIONAL INSTRUCTIONS AND SCHEDULE OF WORK

- 3.1 During the progress of the Work the Engineer/Architect shall furnish to the Contractor such additional instructions as may be necessary to supplement the Contract Documents. All such instructions shall be consistent with the intent of the Contract Documents.
- 3.2 Additional instructions may include minor changes to the Work which affect neither the Contract Price nor the Contract Time.
- 3.3 Additional instructions may be in the form of drawings, samples, models or written instructions.
- 3.4 Additional instructions will be issued by the Engineer/Architect with reasonable promptness and in accordance with any schedule agreed upon.
- 3.5 The Contractors shall, within thirty (30) days of the signing of this contract provide the Owner with a schedule of work.

#### **GC4 DOCUMENTS PROVIDED**

4.1 The Contractor will be provided, without charge, a reasonable number of Contract Documents or parts thereof as reasonably necessary for the performance of the Work.



# GC5 DOCUMENTS ON THE SITE

5.1 The Contractor shall keep one copy of all current Contract Documents and shop drawings on the site, in good order and available to the Engineer/Architect and/or his representatives. This requirement shall not be deemed to include the executed Contract Documents.

# GC6 OWNERSHIP OF DOCUMENTS AND MODELS

- 6.1 All Contract documents and copies thereof, and all models are and shall remain the property of the owner and are not to be used on other work.
- 6.2 Such documents are not to be copied or revised in any manner without the written authorization of the owner.
- 6.3 Models furnished by the Contractor or the Owner are the property of the owner.

# **GC7 ENGINEER/ARCHITECTS DECISIONS**

- 7.1 The Engineer/Architect, in the first instance, shall decide on questions arising under the Contract Documents and interpret the requirements therein. Such decisions shall be given in writing.
- 7.2 The Contractor shall notify the Engineer/Architect in writing within 5 days of receipt of a decision of the Engineer/Architect referred to in 7.1 should the Contractor hold that a decision by the Engineer/Architect is in error and/or at variance with the contract Documents. Unless the Contractor fulfills this requirement subsequent claims by him for extra compensation, arising out of the decision, will not be accepted.
- 7.3 If the question of error and/or variance is not resolved immediately, and the Engineer/Architect decides that the disputed work shall be carried out, the Contractor shall act according to the Engineer/Architect's written decision.

Any question of change in Contract Price and/or extension of Contract Time due to such error and/or variance shall be decided as provided in GC16 - Settlement of Disputes.

#### **GC8 DELAY**

- 8.1 If it can be clearly shown that the Contractor is delayed in the performance of the work by any act or fault of the Owner or other Contractor, then the contract time shall be extended for such reasonable time as the Engineer/Architect may decide in consultation with the Contractor.
  - The Contractor shall be reimbursed for any costs incurred by the Contractor as a result of such a delay occasioned by the act or fault, provided that it can be clearly shown that the Contractor's forces cannot work efficiently elsewhere on the project and that the incurred cost is limited to that which could not reasonably have been avoided.
- 8.2 If the Contractor is delayed in the performance of the Work by a Stop Work Order issued by any court or other public authority, and providing that such order was not issued as the result of any act or fault of the Contractor or of any one employed by him directly or indirectly, then the Contract Time shall be extended for such reasonable time as the Engineer/Architect may decide, in consultation with the Contractor, and the Contractor shall be reimbursed for any onsite costs incurred by him as the result of such delay.
- 8.3 If the Contractor is delayed in the performance of the Work by civil disorders, labour disputes, strikes, lock-outs (including lock-outs decreed or recommended for its members by a recognized Contractor's Association, of which the Contractor is a member) fire, unusual delay by common carriers or unavoidable casualties or, without limit to any of the foregoing, by any cause of any kind whatsoever beyond the Contractors's control, then the Contract Time shall be extended for such reasonable time as may be decided by the Engineer/Architect in consultation with the Owner and



the Contractor, but in no case shall the extension of time be less than the time lost as the result of the event causing the delay unless such shorter extension or time be agreed to by the Contractor.

8.4 No extension shall be made for delay unless written notice of claim is given to the Engineer/Architect within fourteen (14) days or its commencement, providing that in the case of a continuing cause of delay only one notice shall be necessary.

# GC9 OWNER'S RIGHT TO DO WORK

- 9.1 If the Contractor should neglect to prosecute the Work properly or fail to perform any provisions of the Contract, the Owner may notify the Contractor in writing that the Contractor is in default of the Contractor's contractual obligations and instruct the Contractor to correct the default within five (5) working days of receiving the notice.
- 9.2 If the correction of the default cannot be completed within the five (5) working days specified, the Contractor shall be considered to be in compliance with the Owner's instructions if the Contractor:
  - (a)commences the correction of the default within the specified time, and
  - (b)provides the Owner with an acceptable schedule for such correction, and
  - (c) completes the correction in accordance with such schedule.
- 9.3 If the Contractor fails to comply with the provisions 9.1 and 9.2 the Owner may, without prejudice to any other right or remedy the Owner may have, correct such default and may deduct the cost thereof from the payment then or thereafter due the Contractor.

# GC10 OWNER'S RIGHT TO STOP WORK OR TERMINATE CONTRACT

- 10.1 If the Contractor should be adjudged bankrupt, or makes a general assignment for the benefit of creditors or if a receiver is appointed on account of the Contractor's insolvency, the Owner may, without prejudice to any other right or remedy he may have, by giving the Contractor written notice, terminate the Contract.
- 10.2 The Owner may notify the Contractor in writing that the Contractor is in default of the Contractor's contractual obligations, if the Contractor:
  - (a) fails to proceed regularly and diligently with the work; or
  - (b) without reasonable cause wholly suspends the carrying out of the work before the completion thereof; or
  - (c) refuses or fails to supply sufficient properly skilled workmen or proper workers, products or construction machinery and equipment for the scheduled performance of the work within five (5) working days of receiving written notice from the Engineer/Architect, except in those cases provided in GC8 - Delay; or
  - (d) fails to make payments due to the Contractor's Subcontractors, suppliers or his workmen; or
  - (e) persistently disregards laws or ordinances, or the Engineer/Architect's instructions; or
  - (f) Otherwise violates the provisions of the Contract to a substantial degree. Such written notice by the Owner shall instruct the Contractor to correct the default within five (5) working days from the receipt of the written notice.
- 10.3 If the correction of the default cannot be completed within the five (5) working days specified, the Contractor shall be considered to be in compliance with the Owner's instructions if the Contractor:
  - (a) commences the correction of the default within the specified time,
  - (b) provides the Owner with an acceptance schedule for such correction, and
  - (c) completes the correction in accordance with such schedule.
- 10.4 If the Contractor fails to correct the default within the time specified or subsequently agreed upon, the Owner may, without prejudice to any other right or remedy the Owner may have, stop the work or terminate the Contract.
- 10.5 If the Owner terminates the contract under the conditions set out above, the Owner is entitled to:



- (a) take possession of the premises and products and utilize the temporary buildings, plants, tools, construction machinery and equipment, goods, materials, intended for, delivered to and placed on or adjacent to the work and may complete the work by whatever method he may deem expedient but without undue delay or expense:
- (b) withhold any further payments to the Contractor until the work is finished;
- (c) upon total performance of the work, charge the Contractor the amount by which the full cost of finishing the work including compensation to the Engineer/Architect for his additional services and a reasonable allowance to cover the cost of any corrections required by GC31 - Warranty, exceeds the unpaid balance of the Contract Price; or if such cost of finishing the work is less than the unpaid balance of the Contract Price, pay the Contractor the difference.
- (d) on expiry of the warranty period, charge the Contractor the amount by which the cost of corrections under GC31 - Warranty exceeds the allowance provided for such corrections, or if the cost of such corrections is less than the allowance, pay the Contractor the difference.

#### GC11 CONTRACTOR'S RIGHT TO STOP WORK OR TERMINATE CONTRACT

- 11.1 If the Owner should be adjudged bankrupt, or makes a general assignment for the benefit of creditors, or if a receiver is appointed on account of the Owner's insolvency, the Contractor may, without prejudices to any other right or remedy the Contractor may have, by giving the Owner written notice, terminate the Contract.
- 11.2 If the work should be stopped or otherwise delayed for a period of thirty days or more under an order of any court, or other public authority, and providing that such order was not issued as the result of any court, or other public authority, and providing that such order was not issued as the result of any act or fault of the Contractor or of any one directly or indirectly employed by him, the Contractor may, without prejudice to any other right or remedy he may have, by giving the Owner 15 days written notice, terminate the Contract.
- 11.3 The Contractor may notify the Owner in writing that the Owner is in default of the Owner's contractual obligations if:
  - (a) the Engineer/Architect fails to issue a certificate in accordance with GC21 Certificates and Payments;
  - (1) The Owner fails to pay to the Contractor when due any amount certified by the Engineer/Architect and verified by the audit of the Owner. Such written notice shall advise the Owner that if such default is not corrected within fifteen (15) days from the receipt of the written notice the Contractor may, without prejudice to any other right or remedy the Contractor may have, stop the work and/or terminate the contract.
  - (2) 11.4 If the Contractor terminates the Contract under the conditions set out above, the Contractor shall be entitled to be paid for all work performed and for any loss sustained upon products and plant supplied with reasonable overhead, profit and damages.

# **GC12 OTHER CONTRACTORS**

- 12.1 The Owner reserves the right to let separate contracts in connection with the project of which the Work is part.
- 12.2 The Owner shall coordinate the work and insurance coverage of Other Contractors as it affects the Work of this Contract.
- 12.3 The Contractor shall coordinate his work with that of Other Contractors and connect as specified or shown in the Contract Documents. Any change in the cost incurred by the Contractor in the planning and performance of such work which was not shown or included in the Contract documents as of the date of signing the Contract, shall be evaluated as provided under GC19 Valuation and Certification of Changes in the Work.
- 12.4 The Contractor shall report to the Engineer/Architect any apparent deficiencies in other Contractor's work which would affect the Work of this Contract immediately they come to the Contractor's attention and shall confirm



such report in writing. Failure by the Contractor to so report shall invalidate any claims against the Owner by reason of the deficiencies of Other Contractor's work except as to those of which the Contractor was not reasonably aware.

#### GC13 ASSIGNMENT

13.1 The Contractor shall not assign the contract or any part thereof or any benefit or interest therein or thereunder without the written consent of the Owner.

#### GC14 SUBCONTRACTORS

- 14.1 The Contractor agrees to preserve and protect the rights of the Owner under the Contract with respect to any work to be performed under subcontract. The Contractor shall:
  - require the Contractor's Subcontractors to perform their work in accordance with and subject to the terms and conditions of the Contract Documents, and
  - (b) be fully responsible to the Owner for acts and omissions of the Contractor's Subcontractors and of persons directly or indirectly employed by them as for acts and omissions of persons directly employed by them.

The Contractor therefore agrees that the Contractor will incorporate all the terms and conditions of the Contract Documents into all Subcontract Agreements the Contractor enters into with the Contractor's Subcontractors.

- 14.2 The Contractor shall employ those Subcontractors proposed by the Contractor in writing and accepted by the Owner prior to the signing of the Contract for such portions of the work as may be designated in the bidding requirements.
- 14.3 The Owner may, for reasonable cause, object to the use of a proposed Subcontractor and require the Contractor to employ one of the other Subcontractor Bidders.
- 14.4 In the event that the Owner requires a change from any proposed Subcontractor the Contract Price shall be adjusted by the difference in cost occasioned by such required change.
- 14.5 The Contractor shall not be required to employ as a Subcontractor any person or firm to whom the Contractor may reasonably object.
- 14.6 The Engineer/Architect may, upon reasonable request and at his or her discretion, provide to a Subcontractor information as to the percentage of the Subcontractor's work which has been certified for payment.
- 14.7 Nothing contained in the Contract Documents shall create any contractual relationship between any Subcontractor and the Owner.

# **GC15 EMERGENCIES**

- 15.1 The Engineer/Architect has authority in an emergency to stop the progress of the work whenever in his or her opinion such stoppage may be necessary to ensure the safety of life, or the work, or neighbouring property. This includes authority to make changes in the work, and to order, assess and award the cost of such work, extra to the Contract or otherwise, as may in his or her opinion be necessary. The Engineer/Architect shall, within two (2) working days, confirm in writing any such instructions. In such a case if the work has been performed under direct order of the Engineer/Architect, the Contractor shall keep the Contractor's right to claim the value of such work.
- 15.2 Should the work be stopped by civil pickets, or other disorder, neither the Owner nor the Contractor shall have claim for a change in the price of the Contract.



# GC16 SETTLEMENT OF DISPUTES AND CLAIMS

- 16.1 In the case of any dispute or claim arising between the Owner and the Contractor as to their respective rights and obligations under the Contract, either party hereto may give the other written notification of such dispute or claim. The notification of dispute or claim shall be made within fourteen (14) days of the dispute or cause of action arising. If the dispute or claim cannot be resolved to the satisfaction of both parties, either party may refer the matter to such judicial tribunal as the circumstances require.
- 16.2 Legal proceedings shall not take place until after the performance or the substantial performance of the disputed work except:

(a) when the dispute concerns a certificate for payment.

- (b) where either party can show that the matter in dispute requires immediate consideration while evidence is available.
- (c) in the case of legal proceedings, where the action may become prescribed by reason of delay.

#### GC17 INDEMNIFICATION

- 17.1 Except as provided in 17.2, the Contractor shall be liable for, and shall indemnify and hold harmless the Owner and the Engineer/Architect, their agents and employees from and against all claims, demands, losses, costs, damages, actions, suits or proceedings, whatsoever arising under any statute or Common Law:
  - (a) in respect of personal injury to or the death of any person whomsoever arising out of or in the course of or caused by the carrying out of the work; and
  - (b) in respect of any injury or damage whatsoever to any property, real or personal or any chattel real, insofar as such injury or damage arises out of or in the course of or by reason of the carrying out of the work.
- 17.2 The Contractor shall not be liable under 17.1 if the injury, death, loss or damage is due to any act or neglect of the Owner or Engineer/Architect, their agents or employees.

#### GC18 CHANGES IN THE WORK

- 18.1 The Owner may make changes by altering, adding to, or deducting from the Work, with the amount due under the Contract and the Contract Time being adjusted accordingly.
- 18.2 Except as provided in GC15 Emergencies, no change shall be made without a written order from the Engineer/Architect and no claim for an addition or deduction from the amount due under the Contract or change in the Contract time shall be valid unless so ordered and at the same time valued or agreed to be valued as provided in GC19 Valuation and Certification of Changes in the Work.

#### GC19 VALUATION AND CERTIFICATION OF CHANGES IN THE WORK

- 19.1 The value of any change shall be determined in one or more of the following methods:
  - (a) by unit prices as provided in Article A-3 of the Agreement
  - (b) by unit prices subsequently agreed upon
  - (c) by cost and a fixed or percentage fee.

In the case of changes in the work valued as outlined in 19.1(c), the Contractor shall submit detailed invoices, vouchers and time sheets for all materials and labour to complete the extra work.

When work is performed by the Contractor's own forces his markup for overhead shall be ten (10) percent and his profit ten (10) percent of the agreed or actual cost of the change. When work is performed by one of his Subcontractors the Subcontractors's markup for overhead shall be ten (10) percent of the agreed or actual cost of the change plus five (5) percent for profit.



The Contractor's markup for overhead and profit shall be (10) percent of the Subcontractor's total price.

- 19.2 Notwithstanding the provisions of 19.1, in case of changes in the work:
  - (a) where unit prices are provided in the contract for work to be done those unit prices shall be used in determining the value of any change, and
  - (b) the amount charged for equipment rentals shall be that provided in the contract and no additional amount shall be paid as markup for overhead or profit for the Contractor or Subcontractor.
- 19.3 When a change in the work is proposed or required the Contractor shall present to the Engineer/Architect for approval the Contractor's claim for any change in the Contract Price and/or change in Contract Time. The Engineer/Architect shall satisfy himself or herself as to the correctness of such claim and, when approved shall issue a written order to the Contractor to proceed with the change. The value of work performed in the change shall be included for payment with the regular certificate for payment.
- 19.4 In case of changes in the Work to be paid for under methods (b) and (c) of 19.1, the form of presentation of costs and methods of measurement shall be agreed to by the Engineer/Architect and Contractor before proceeding with the change. The Contractor shall keep accurate records, as agreed upon, of quantities or costs and present an account of the cost of the change in the Work, together with vouchers where applicable.
- 19.5 If the method of valuation, measurement and the change in Contract Price and/or change in Contract Time cannot be promptly agreed upon, and the change is required to be proceeded with then the Engineer/Architect shall determine the method of valuation, measurement and the change in Contract Price and/or Contract Time subject to final determination in the manner set out in GC16 Settlement of disputes. In this case the Engineer/Architect shall issue a written authorization for the change setting out the method of valuation and if by lump sum his or her valuation of the change in Contract Price and/or Contract Time.
- 19.6 In the case of a dispute in the valuation of a change authorized in the Work pending final determination of such value, the Engineer/Architect shall certify the value of work performed and include the amount with the regular certificates for payment.
- 19.7 It is intended in all matters referred to above that both the Engineer/Architect and Contractor shall act promptly.

#### GC20 APPLICATION FOR PAYMENT

- 20.1 Applications for payment on account as provided for in Article A-4 may be made monthly as the Work progresses.
- 20.2 Application for payment shall be made monthly on a date to be agreed between the Owner and the Contractor and the amount claimed shall be for the value of work performed and products delivered to the site at that date.
- 20.3 Application for release of **holdback monies** following the Substantial Performance of the Work and the application for final payment shall be made at the time and in the manner set forth in GC21 Certificates and Payments.

#### GC21 CERTIFICATES AND PAYMENTS

- 21.1 The Engineer/Architect shall, within ten (10) days of receipt of an application for payment from the Contractor submitted in accordance with GC20 Application for Payment, issue a certificate for payment in the amount applied for or such other amount as he or she shall determine to be properly due. If the Engineer/Architect amends the application he shall promptly notify the Contract in writing, giving his or her reasons for the amendment.
- 21.2 The Owner shall within twenty-one (21) days of issuance of a certificate for payment by the Engineer/Architect, make payment to the Contractor on account, in accordance with the provisions of the Agreement.



- 21.3 If payment is not made within sixty (60) days of issuance of a certificate for payment by the Engineer/Architect the owner will be liable for interest on the amount owing at the rate of 9% per annum from the sixty-first (61st) day to the date of payment.
- 21.4 Notwithstanding any other provisions of this Contract:
  - (a) If on account of climatic or other conditions reasonably beyond the control of the Contractor there are items of work that cannot be performed, the payment in full for that which has been performed as certified by the Engineer/Architect shall not be withheld or delayed by the Owner on account thereof, but the Owner may withhold from the Contract Price until the remaining work is finished an amount sufficient to cover the cost to the Owner of preforming such remaining work and to adequately protect the Owner from claims.
  - (b) Where legislation permits and where, upon application by the Contractor, the Engineer/Architect has certified that a Subcontract has been totally performed to his or her satisfaction prior to the Substantial Performance of this Contract, the Owner shall pay the Contractor the holdback retained for such Subcontractor on the day following the expiration of the Statutory Limitations Period stipulated in the Mechanics' Lien Act applicable to the place of building.

The holdbacks will be released on the following conditions:

- (i) a copy of the contract between the Subcontractor and the Contractor, or some other suitable Document satisfactory to the Owner, must be presented to the Owner.
- (ii) the Subcontract is completed without deficiencies.
- (iii) the warranty for the Subcontract will not start until Substantial Performance of the General Contract;
- (iv) the Contractor provides an approved statutory declaration that all monies have been paid to the Subcontractors:
- (v) the Owner will, at that time, release the total amount specified on the Sub-contractors Contract.
- 21.5 Notwithstanding the provisions of 21.4(b) and notwithstanding the wording of such certificate the Contractor shall ensure that such work is protected pending the Total Performance of the Contract and be responsible for the correction of any defects in it regardless of whether or not they were apparent when such certificates were issued.
- 21.6 The Engineer/Architect shall, within ten (10) days of receipt of an application from the Contractor for a Certificate of Substantial Performance, make an inspection and assessment of the work to verify the validity of the application. The Engineer/Architect shall within seven (7) days of his or her inspection notify the Contractor of his or her approval or disapproval of the application. When the Engineer/Architect finds the Work to be Substantially Performed he or she shall issue such a certificate. The date of this certificate shall be the date of Substantial Performance of the Contract. Immediately following the issuance of the Certificate of Substantial Performance, the Engineer/Architect, in consultation with the Contractor shall establish a reasonable date for the Total Performance of the Contract.
- 21.7 Following the issuance of the Certificate of Substantial Performance and upon receipt from the Contractor of all documentation called for in the Contract Documents the Engineer/Architect shall issue a certificate for payment of holdback monies. The release of holdback monies authorized by this certificate shall become due and payable on the day following the expiration of the Statutory Limitation Period stipulated in the Mechanics' Lien Act applicable to the place of building, providing that no lien or privilege claims against the Work exist and the Contractor has submitted to the Owner a sworn statement that all accounts for labour, subcontracts, products, construction machinery and equipment and any other indebtedness which may have been incurred by the Contractor in the Substantial Performance of the Work and for which the Owner might in any way be held responsible have been paid in full except holdback monies properly retained.
- 21.8 The Engineer/Architect shall, within ten (10) days of receipt of an application from the Contractor for payment upon Total Performance of the Contract, make an inspection and assessment of the work to verify the validity of the application. The Engineer/Architect shall within seven (7) days of his or her inspection notify the Contractor of his or her approval or disapproval of the application. When the Engineer/Architect finds the Work to be totally performed to his or her satisfaction he or she shall issue a Certificate of Total Performance and certify for payment the remaining monies due to the Contractor under the Contract less any holdback monies which are required to be retained. The



date of this certificate shall be the date of Total Performance of the Contract. The Owner shall, within thirty (30) days of issuance of such certificate, make payment to the Contractor in accordance with the provisions of Article A-4 of the Agreement.

- 21.9 The release of any remaining holdback monies shall become due and payable on the day following the expiration of the Statutory Limitation Period stipulated in the Mechanics' Lien Act applicable to the place of building or where such legislation does not exist or apply in accordance with such other legislation, regulations governing privileges, industry practice or such other provisions which may be agreed to between the parties, provided that no claims against the Work exist and the Contractor has submitted to the Owner a sworm statement that all accounts for labour, subcontracts, products, construction machinery and equipment and any other indebtedness which may have been incurred by the Contractor in the Total Performance of the Work and for which the Owner might in any way be held responsible, have been paid in full except holdback monies properly retained.
- 21.10 No certificate for payment, or any payment made thereunder, nor any partial or entire use of occupancy of the Work by the Owner shall constitute an acceptance of any work or products not in accordance with the Contract Documents.
- 21.11 The issuance of the Certificate of Total Performance shall constitute a waiver of all claims by the Owner against the Contractor except those previously made in writing and still unsettled, if any, and those arising from the provisions of GC31 Warranty, or those arising from negligence on the part of the Contractor. The acceptance of the Certificate of Total Performance or of the payment due thereunder shall constitute a waiver of all claims by the Contractor against the Owner except those made in writing prior to his application for payment upon Total Performance of the Contract and still unsettled, if any.
- 21.12 The holdback to be used by the Engineer/Architect when issuing certificate of payment will be ten (10) percent of the value of the work completed at the date of the Contractor's claim.
- 21.13 Notwithstanding the provisions of 21.3 or any other provision of this Contract, the Owner may:
  - (a) in the event of a claim by the owner against the Contractor for damages arising out of the performance or non-performance of the Contract, withhold payment of any amount equal to the alleged damages until the liability of damages is established and no amount of interest will be paid on amounts held under this clause;
  - (b) set-off amounts owing by the Contractor to the Owner;
  - (c) following the issuance of the Certificate of Substantial Performance, withhold payment of an amount equal to twice the cost, as estimated by the Engineer/Architect of remedying efficiencies until the issuance of a Certificate of Total Performance and no amount of interest will be paid on amounts held under this clause.

# GC22 TAXES AND DUTIES

- 22.1 Unless otherwise stated in Supplementary General Conditions the Contractor shall pay all government sales taxes, customs duties and excise taxes with respect to the Contract.
- 22.2 Any increase or decrease in costs to the Contractor due to changes in such taxes and duties after the date of the Agreement and up to the agreed date of completion shall increase or decrease the Contract Price accordingly. If the owner so desires the Contractor is to co-operate with the Engineer/Architect and Owner and permit access to books and records in order to establish the amount of such taxes involved.
- 22.3 The Contractor shall maintain full records of the Contractor's estimates of and actual cost to the Contractor of the work together with all proper tender calls, quotations, contracts, correspondence, invoices, receipts and vouchers relating thereto, shall make them available to audit and inspection by the Owner, the Auditor General for Newfoundland and Labrador or by persons acting on their behalf, shall allow them to make copies thereof and to take extracts therefrom, and shall furnish them with any information which they may require from time to time in connection with such record.



# GC23 LAWS, NOTICES, PERMITS AND FEES

- 23.1 The laws of the place of building shall govern the work.
- 23.2 The Contractor shall obtain all permits licenses and certificates and pay all fees required for the performance of the Work which are in force at the date of tender submissions (but this shall not include the obtaining of permanent easements or rights of servitude).
- 23.3 The Contractor shall give all required notices and comply with all laws, ordinances, rules, regulations, codes and order of all authorities having jurisdiction relating to the Work, to the preservation of the public health and construction safety which are or become in force during the performance of the Work.
- 23.4 The Contractor shall not be responsible for verifying that the Contract Documents are in compliance with the applicable laws, ordinances, rules, regulations and codes relating to the Work. If the Contract Documents are at variance therewith, or changes which require modification to the Contract Documents are made to any of the laws, ordinances, rules, regulations and codes by the authorities having jurisdiction subsequent to the date of tender submission, any resulting change in the cost shall constitute a corresponding change in the Contract Price. The Contractor shall notify the Engineer/Architect in writing requesting direction immediately of any such variance or change is observed by him or her.
- 23.5 If the Contractor fails to notify the Engineer/Architect in writing and obtain his or her direction as required in GC23.4 and performs any work knowing it to be contrary to any laws, ordinances, rules, regulations, codes and orders of any authority having jurisdiction, the Contractor shall be responsible for and shall correct any violations thereof and shall bear all costs, expense and damages, attributable to the Contractor's failure to comply with the provisions of such laws, ordinances, rules, regulations, codes and orders.

# GC24 PATENT FEES

- 24.1 The Contractor shall pay all royalties and patent license fees required for the performance of the contract and such royalties or fees shall be deemed to have been included in the contract price.

  The Contractor shall hold the Owner harmless from and against all claims, demands, losses, costs, damages, actions, suits or proceedings arising out of the Contractor's performance of the Contract which are attributable to an infringement or an alleged infringement of any patent or invention by the Contractor or anyone for whose acts the Contractor may be liable.
- 24.2 The Owner shall hold the Contractor harmless against all claims, demands, losses, costs, damages, actions, suits, or proceedings arising out of the Contractor's performance of the Contract which are attributable to an infringement or an alleged infringement of any patent or invention in executing anything for the purpose of the Contract, the model, plan or design of which was supplied to the Contractor by the Owner.

# GC25 WORKER'S COMPENSATION

- 25.1 Prior to commencing the Work and prior to receiving payment on Substantial and Total Performance of the Work, the Contractor shall provide evidence of compliance with all requirements of the Province of the place of building with respect to worker's compensation including payments due thereunder.
- 25.2 At any time during the term of Contract, when requested by the Engineer/Architect, the Contractor shall provide such evidence of compliance by the Contractor and any or all of the Contractor's Subcontractors.

#### GC26 LIABILITY INSURANCE

26.1 Comprehensive General Liability Insurance



- (a) Without restricting the generality of GC17 Indemnification, the Contractor shall provide and maintain, either by way of a separate policy or by an endorsement to his existing policy, Comprehensive General Liability insurance acceptable to the Owner and subject to limits set out in detail in the Supplementary General Conditions inclusive per occurrence for bodily injury, death, and damage to property including loss of use thereof.
- (b) The insurance shall be in the joint names of the Contractor and the Owner, shall also cover as Unnamed Insureds all Subcontractors and anyone employed directly or indirectly by the Contractor or the Contractor's Subcontractors to perform a part or parts of the Work but excluding suppliers whose only functions is to supply and or transplant products to the project site.
- (c) The insurance shall also include as Unnamed Insureds the architectural and engineering consultants of the Owner and Engineer/Architect.
- (d) The insurance shall preclude subordination claims by the Insurer against anyone insured thereunder.
- (e) The Comprehensive General Liability Insurance will not be limited to, but shall include coverage for:
  - (1) premises and operations liability
  - (2) products or completed operations liability
  - (3) blanket contractual liability
  - (4) cross liability
  - (5) elevator and hoist liability
  - (6) contingent employers's liability
- (7) personal injury liability arising out of false arrest, detention or imprisonment or malicious prosecution, libel, slander or defamation of character, invasion of privacy, wrongful eviction or wrongful entry.
- (8) shoring, blasting, excavation, underpinning, demolition, pile driving and caisson work, work below ground surface, tunneling and grading, as applicable.
- (9) fiability with respect to non-owned licensed vehicles.

# 26.2 Automobile Liability Insurance

The Contractor shall provide and maintain liability insurance in respect of owned licensed vehicles subject to limits set out in detail in the Supplementary General Conditions inclusive.

#### 26.3 Aircraft and Water craft Liability Insurance

The Contractor shall provide and maintain liability insurance with respect to owned and non-owned aircraft and water craft, as may be applicable, subject to limits set out in detail in the Supplementary General Conditions inclusive. Such insurance shall be in the joint names of the Contractor, the Owner, the Engineer/Architect and those parties defined in 26.1(b)(c) where they have an interest in the use and operation of such aircraft or water craft. The insurance shall preclude subordination claims by the Insurer against anyone insured thereunder.

- 26.4 All liability insurance shall be maintained continuously until twelve (12) months after the date the Engineer/Architect issues a certificate of Substantial performance.
- 26.5 The Contractor shall provide the Owner with evidence of all liability insurance prior to the commencement of the work and shall promptly provide the Owner with a certified true copy of each insurance policy.
- 26.6 All liability insurance policies shall contain an endorsement to provide all Named Insureds with prior notice of changes and cancellations. Such endorsements shall be in the following form:
  - "It is understood and agreed that the coverage provided by this policy will not be changed or amended in any way or cancelled until 30 days after written notice of such change or cancellation shall have been given to all Named Insureds".

#### GC27 PROPERTY INSURANCE

27.1 The Contractor shall provide and maintain property insurance, acceptable to the Owner, insuring the full value of the Work in the amount of the Contract Price and the full value as stated of products for incorporation into the Work. The insurance shall be in the joint names of the Contractor, the Owner, the Subcontractors and all others having an insurable interest in the Work. The policies shall include all Subcontractors as Unnamed Insureds or, if they specifically request, as Named Insureds. The Policies shall preclude subordination claims by the Insurer against anyone insured thereunder.



- 27.2 Such coverage shall be provided for by EITHER an ALL Risks Builder's Risk Policy OR by a combination of a standard Builders' Risk Fire Policy including Extended Coverage and Malicious Damage Endorsements and a Builders' Risk Difference in Conditions Policy providing equivalent coverage, of Piers, Wharves and Docks Government Structures Policy.
- 27.3 The policies shall insure against all risks of direct loss or damage subject to the exclusion specified in the Supplementary General Conditions. Such coverage shall apply to:
  - (a) all products, labour and supplies of any nature whatsoever, the property of the Insureds or of others for which the Insureds may have assumed responsibility, to be used in or pertaining to the site preparations, demolition of existing structures, erections and/or fabrication and/or reconstruction and/or repair of the insured project, while on the site or in transit, subject to the exclusion of the property specified.
  - (b) the installation, testing and any subsequent use of machinery and equipment including boilers, pressure vessels or vessels under vacuum.
  - (c) damage to the Work caused by an accident to and/or the explosion of any boiler(s) or pressure vessels(s) forming part of the work.

Such coverage shall exclude construction machinery, equipment, temporary structural and other temporary facilities, tools, and supplies used in the construction of the work and which are not expendable under the Contract.

- 27.4 The Contractor shall provide the Owner with evidence of all insurance prior to commencement of the Work and shall promptly provide the Owner with a certified true copy of each insurance policy.
  - Policies provided shall contain an endorsement to provide all Named Insureds with prior notice of changes and cancellations. Such endorsements shall be in the following form: "It is understood and agreed that the coverage provided by this policy will not be changed or amended in any way or cancelled until 30 days after written notice of such change or cancellation shall have been given to all Named Insureds".
- 27.5 All such insurance shall be maintained continuously until ten (10) days after the date the Engineer/Architect issues a certificate to Total Performance. All such insurance shall provide for the Owner to take occupancy of the work or any part thereof during the terms of this insurance. Any increase in the cost of this insurance arising out of such occupancy shall be at the Owner's expense.
- 27.6 The policies shall provide that, in the event of a loss, payment for damage to the Work shall be made to the Owner and the Contractor as their respective interests may appear. The Contractor shall act on behalf of the Owner and the Contractor for the purpose of adjusting the amount of such loss with the Insurers. On the determination of the extent of the loss, the Contractor shall immediately proceed to restore the Work and shall be entitled to receive from the Owner (in addition to any sum due under the Contract) the amount at which the Owner's interest in the restoration work has been appraised, such amount to be paid as the work of the restoration proceeds and in accordance with the Engineer/Architect's certificates for payment.

Damage shall not affect the rights and obligations of either party under the Contract except that the Contractor shall be entitled to such reasonable extension of time for Substantial and Total Performance of the Work as the Engineer/Architect may decide.

27.7 The Contractor and/or the Contractor's Subcontractors as may be applicable shall be responsible for any deductible amounts under the policies and for providing such additional insurance as may be required to protect the insureds against loss on items excluded from the policies.

# GC28 PROTECTION OF WORK AND PROPERTY

28.1 The Contractor shall protect the property adjacent to the Project site from damage as the result of his operations under the Contract.



- 28.2 The Contractor shall protect the Work and the Owner's property from damage and shall be responsible for any damage which may arise as the result of the Contractor's operations under the Contract except damage which occurs as the result of:
  - (a) errors in the Contract Documents, and/or
  - (b) acts or omissions by the Owner's agents, employees or Other Contractors.
- 28.3 Should any damage occur to the Work and/or property for which the Contractor is responsible the Contractor shall make good such damage at the Contractor's own expense or pay all costs incurred by others in making good such damage.
- 28.4 Should any damage occur to the Work and/or Owner's property for which the Contractors is not responsible as provided in GC17 the Contractor shall make good such damage to the Work, and, if the Owner so directs to the Owner's property, and the Contract Price and Contract Time shall be adjusted in accordance with GC18 - Changes in the Work.
- 28.5 The Contractor shall be completely responsible for the safety of the work as it applies to protection of the public and property and the construction of the work.

The Codes that must be followed and enforced for safety are:

- (a) The National Building Code, Part 8 Construction Safety Measures (Latest Edition);
- (b) The Workmen's Compensation Board Accident Prevention Regulations (Latest Edition);
- (c) Canadian Code for Construction Safety (Latest Edition) as issued by the Associate Committee of the National Building Code.
- 28.6 Any person not following stipulated safety regulations shall be dismissed.

# GC29 DAMAGES AND MUTUAL RESPONSIBILITY

- 29.1 If either party to this Contract should suffer damage in any manner because of any wrongful act or neglect of the other party or anyone employed by that party then that party shall be reimbursed by the other party for such damages. The party reimbursing the other party shall be subrogated to the rights of the other party in respect of such wrongful act or neglect if it be that of a third party.
- 29.2 Claims under this GC shall be made in writing to the party liable within reasonable time after the first observance of such damage and not later than the time limits stipulated in GC21-Certificates and Payments, and may be adjusted by agreement or in the manner set out in GC16-Settlement of Disputes and Claims
- 29.3 If the Contractor has caused damage to any Other Contractor on the work, the Contractor agrees upon due notice to settle with such Other Contractor by agreement or arbitration, if the other Contractor will so settle. If such Other Contractor sues the Owner on account of any damaged alleged to have been so sustained, the Owner shall notify the Contractor and may require the Contractor to defend the action at the Contractor's expense. If any final order or judgement against the Owner arises therefrom the Contractor shall pay or satisfy it and pay all costs incurred by the Owner.
- 29.4 If the Contractor becomes liable to pay or satisfy any final order, judgement or award against the Owner then the Contractor, upon undertaking to indemnify the Owner against any and all liability for costs, shall have the right to appeal in the name of the Owner such final order or judgement to any and all courts of competent jurisdiction.

# GC30 BONDS

- 30.1 The Owner shall have the right during the period stated in the tender documents for acceptance of the tender to require the Contractor to provide and maintain in good standing until the fulfilment of the Contract, bonds covering the faithful performance of the Contract including the requirements of the Warranty provided for in GC31-Warranty, and the payment of all obligations arising under the Contract.
- 30.2 All such bonds shall be issued by a duly incorporated surety company approved by the Owner and authorized to transact the business of surety-ship in the Province of Newfoundland and Labrador.



- 30.3 If bonds are called for in the tender documents or supplementary general conditions or instructions to bidders, the costs attributable to providing such bonds shall be included in the tender price.
- 30.4 Should the Owner require the provision of a bond or bonds by the Contractor other than those provided for under 30.3, the Contract Price shall be increased by all costs attributable to providing such bonds.
- 30.5 The Contractor shall promptly provide the Owner with any bonds that are required.

#### GC31 WARRANTY

- 31.1 Without restricting any warranty or guarantee implied or stipulated by law the Contractor shall at the Contractor's own expense rectify and make good any defect or fault however caused appearing within a period of one year from the date of Substantial Performance of the Work provided that the Contractor shall not be responsible for any defect or fault resulting from the design of the work.
- 31.2 The Contractor shall correct and/or pay for any damage to other work resulting from any corrections required under the conditions of 31.1.
- 31.3 Neither the Engineer/Architect's final certificate nor payment thereunder shall relieve the Contractor from the Contractor's responsibility hereunder.
- 31.4 The Owner and/or the Engineer/Architect shall give the Contractor written notice of observed defects promptly.

# GC32 CONTRACTOR'S RESPONSIBILITIES AND CONTROL OF THE WORK

- 32.1 The Contractor shall have complete control of the Work except as provided in GC15 Emergencies. The Contractor shall effectively direct and supervise the Work using the Contractor's best skill and attention. The Contractor shall be solely responsible for all construction means, methods, techniques, sequences and procedures and for coordinating all parts of the Work under the Contract.
- 32.2 The Contractor shall have the sole responsibility for the design, erection, operation, maintenance and removal of temporary structural and other temporary facilities and the design and execution of construction methods required in their use. The Contractor shall engage and pay for registered professional engineering personnel skilled in the appropriate discipline to perform these functions where required by law or by the Contract Documents and in all cases where such temporary facilities and their method of construction are of such a nature that professional engineering skill is required to produce safe and satisfactory results.
- 32.3 Notwithstanding the provisions of paragraphs 32.1 and 32.2 above, or any provisions to the contrary elsewhere in the Contract Documents where such Contract Documents include design for temporary structural and other temporary facilities and methods shall be deemed to comprise part of the overall design of the Work and the Contractor shall not be held responsible for that part of the design or the specified method of construction. The Contractor shall, however, be responsible for the execution of such design or specified method of construction in the same manner that the Contractor is responsible for the execution of the Work.
- 32.4 The Contractor shall carefully examine the Contract Documents and shall promptly report to the Engineer/Architect any error, inconsistency or omission the Contractor may discover. The Contract shall not be held liable for any damage resulting from any such errors, inconsistencies or omissions in the Contract Documents.

#### GC33 SUPERINTENDENCE

- 33.1 The Contractor shall employ a competent superintendent and necessary assistants who shall be in attendance at the Work site at all times while work is being performed.
- 33.2 The superintendent shall be satisfactory to the Engineer/Architect and shall not be changed except for good reason and only then after consultation with an agreement by the Engineer/Architect.



33.3 The superintendent shall represent the Contractor at the Work site and directions given to the Contractor by the Engineer/Architect shall be held to have been given to the Contractor. Important directions shall be confirmed to the Contractor in writing, other directions will be so confirmed if requested.

# GC34 LABOUR AND PRODUCTS

- 34.1 Unless otherwise stipulated elsewhere in the Contract Documents, the Contractor shall provide and pay for all labour products, tools, construction equipment and machinery, water, heat, light, power, transportation and other facilities and services necessary for the proper performance of the Work.
- 34.2 All products provided shall be new unless otherwise specified in the Contract Documents. Any products which are not specified shall be of a quality best suited to the purpose required and their use subject to the approval of the Engineer/Architect.
- 34.3 The Contractor shall at times maintain good order and discipline among his employees engaged on the Work and shall not employ on the Work any unfit person nor anyone not skilled in the task assigned to him.

#### GC35 SUBSURFACE CONDITIONS

- 35.1 The Contractor shall promptly notify the Engineer/Architect in writing if, in the Contractor's opinion, the subsurface conditions at the Project site differ materially from those indicated in the Contract Documents or as may have been represented to the Contractor by the Owner or Engineer/Architect before the time of tender submission.
- 35.2 After prompt investigation, should the Engineer/Architect determine that conditions do differ materially, he or she shall issue appropriate instructions for changes in the Work as provided for in GC18 Changes in Work.

# GC36 USE OF PREMISES

- 36.1 The Contractor shall confine the Contractor's apparatus, the storage of products and the operations of the Contractor's workers to limits indicated by laws, ordinances, permits or by directions of the Engineer/Architect and shall not unreasonably encumber the premises with his products.
- 36.2 The Contractor shall not load or permit to be loaded any part of the Work with a mass that will endanger its safety.
- 36.3 The Contractor shall enforce the Engineer/Architect's instructions regarding signs, advertisements, fires and smoking.
- 36.4 Unless otherwise provided the Contractor shall, at the Contractor's own expense, and without extra cost to the Owner, make suitable provision to accommodate all traffic either pedestrian or vehicular, over or around, the project upon which work is being performed in a manner satisfactory to the Engineer/Architect.
- 36.5 The Contractor shall provide and maintain at the Contractor's own expense such fences, barriers, signs, lights and watchmen as may be necessary to prevent avoidable accidents to residents or to the public generally.

# GC37 CLEANUP AND FINAL CLEANING OF WORK

- 37.1 The Contractor shall maintain the work in a tidy condition and free from the accumulation of waste products and debris, other than that caused by the Owner, other Contractor or their employees.
- 37.2 When the Work is Substantially Performed the Contractor shall remove all of the Contractor's surplus products, tools, construction machinery and equipment not required for the performance of the remaining work. The Contractor shall also remove any waste products and debris and leave the Work clean and suitable for occupancy by the Owner unless otherwise specified.
- 37.3 When the Work is totally Performed, the Contractor shall remove all of the Contractor's surplus products, tools, construction machinery and equipment. The Contractor shall also remove any waste products and debris, other than that caused by the Owner, other contractors or their employees.



# GC38 CUTTING AND REMEDIAL WORK

- 38.1 The Contractor shall do all cutting and remedial work that may be required to make the several parts of the Work come together properly.
- 38.2 The Contractor shall coordinate the schedule for the Work to ensure that this requirement is kept to a minimum.
- 38.3 Should the Owner or anyone employed by the Contractor be responsible for ill-timed work necessitating cutting and/or remedial work shall be valued as provided in GC19 Valuation and Certification of Changes in the work and added to the Contract Price.
- 38.4 Cutting and remedial work shall be performed by specialists familiar with the materials affected and shall be performed in a manner to neither damage nor endanger any Work.

## GC39 INSPECTION OF WORK

- 39.1 The Owner and the Owner's authorized representatives shall have access to the Work for inspection wherever it is in preparation or progress. The Contractor shall cooperate to provide reasonable facilities for such access.
- 39.2 If special tests, inspections or approvals are required by the Contract Documents, the Engineer/Architect instructions or the laws or ordinances of the place of building the Contractor shall give the Engineer/Architect timely notice requesting inspection. Inspection by the Engineer/Architect shall be made promptly. The Contractor shall arrange inspection by other authorities and shall notify the Engineer/Architect of the date and time.
- 39.3 If the Contractor covers or permits to be covered any of the Work that is subject to inspection or before any special tests and approvals are completed without the approval of the Engineer/Architect, the Contractor shall uncover the Work, have the inspection satisfactorily completed and make good the Work at the Contractor's own expense.
- 39.4 Examination of any questioned work may be ordered by the Engineer/Architect. If such work be found in accordance with the Contract the Owner shall pay the cost of examination and replacement, together with the cost of subsequent verification testing. If such Work be found not in accordance with the Contract through the fault of the Contractor, the Contractor shall pay such cost.
- 39.5 The Contractor shall furnish promptly to the Engineer/Architect two (2) copies of all certificates and inspection reports relating to the Work.

## GC40 REJECTED WORK

- 40.1 Defective Work, whether the result of poor workmanship, use of defective products or damage through carelessness or other act or omission of the Contractor, and whether incorporated in the Work or not, which has been rejected by the Engineer/Architect as failing to conform to the Contract Documents shall be removed promptly from the premises by the Contractor and replaced and/or executed promptly in accordance with the Contract Documents at the Contractor's expense.
- 40.2 Other Contractor's Work destroyed or damaged by such removals or replacements shall be made good promptly at the Contractor's expense.
- 40.3 If in the opinion of the Engineer/Architect it is not expedient to correct defective work not done in accordance with the Contract Documents, the Owner may deduct from the Contract Price the difference in value between the Work as done and that called for by the Contract, the amount of which shall be determined in the first instance by the Engineer/Architect.

## GC41 SHOP DRAWINGS

41.1 The term "shop drawings" means drawings, diagrams, illustrations, schedules, performance charts, brochures, and other data which are to be provided by the Contractor to illustrate details of a portion of the Work.



- 41.2 The Contractor shall arrange for the preparation of clearly identified shop drawings as called for by the Contract Documents or as the Engineer/Architect may reasonably request.
- 41.3 Prior to Submission to the Engineer/Architect the Contractor shall review all shop drawings. By this review the Contractor represents that the Contractor has determined and verified all field measurements, field construction criteria, materials, catalogue numbers and similar data or will do so and that the Contractor has checked and coordinated each shop drawing with the requirements of the work and the Contract Documents. The Contractor's review of each shop drawing shall be indicated by stamp, date and signature of a responsible person.
- 41.4 The Contractor shall submit shop drawings to the Engineer/Architect for his or her review with reasonable promptness and in orderly sequence so as to cause no delay in the Work or in the Work of Other Contractors. If either the Contractor or the Engineer/Architect so requests they shall jointly prepare a schedule fixing the dates for submission and return of shop drawings. Shop drawings shall be submitted in the form of a reproducible transparency or prints as the Engineer/Architect may direct. At the time of submission the Contractor shall notify the Engineer/Architect in writing of any deviations in the shop drawings from the requirements of the Contract Documents.
- 41.5 The Engineer/Architect will review and return shop drawings in accordance with any schedule agreed upon, or otherwise with reasonable promptness so as to cause no delay. The Engineer/Architect's review shall be for conformity to the design concept and for general arrangement only and such review shall not relieve the Contractor of responsibility for errors or omissions in the shop drawings or of responsibility for meeting all requirements of the Contract Documents unless a deviation on the shop drawings has been approved in writing by the Engineer/Architect.
- 41.6 The Contractor shall make any changes in shop drawings which the Engineer/Architect may require consistent with the Contract Documents and resubmit unless otherwise directed by the Engineer/Architect. When resubmitting the Contractor shall notify the Engineer/Architect in writing of any revisions other than those requested by the Engineer/Architect.

## GC42 SAMPLES

- 42.1 The Contractor shall submit for the Engineer/Architect's approval such standard manufacturers' samples as the Engineer/Architect may reasonably require. Samples shall be labeled as to origin and intended use in the Work and shall conform to the requirements of the Contract Documents.
- 42.2 The Contractor shall provide samples of special products, assemblies, or components when so specified. The cost of such samples not specified shall be authorized as an addition to the Contract Price as provided in GC18 Changes in the Work.

## GC43 TESTS AND MIX DESIGNS

- 43.1 The Contractor shall furnish to the Engineer/Architect test results and mix designs as may be requested. The testing company must first be approved by the Engineer/Architect.
- 43.2 The cost of test and mix designs beyond those called for in the Contract Documents or beyond those required by laws, ordinances, rules and regulations relating to the work and the preservation of public health, shall be as authorized an addition to the Contract Price as provided in GC18-Changes in the Work.

## GC44 MATERIALS AND SUBSTITUTIONS

- 44.1 Materials, described and named in the specifications with "or approved equal" clause after the Manufacturer's name, or so described as to establish quality only and substitutions of a similar material may be made after award of the contract provided the Engineer/Architect's approval is obtained.
- 44.2 Requests for substitutions must be accompanied by sufficient information in the form of shop drawings, manufacturer's literature, samples and other data to permit proper investigation of the substitutes proposed. Also, indicate the increase or decrease in price.



- 44.3 Whenever a substitute is proposed for approval the Contractor shall guarantee that such proposed substitute will not adversely affect the space requirements allocated on the drawings for the material specified, and the Contractor shall agree to bear any additional expense incurred due to the Contractor's use of the proposed substitute.
- 44.4 The Engineer/Architect may accept or reject any or all of the proposed substitutions as he or she sees fit, and his or her decision on a question of equality shall be final.

## GC45 LABOUR

- 45.1 In carrying out his duties under this contract, the Contractor should comply with all Provincial and Federal legislation respecting labour and the employment of labour, where applicable, including the labour standards code and shall not operate in conflict with the Human Rights legislation. In the employment of labour, preference should be given to persons normally resident in Newfoundland and Labrador.
- 45.2 The Contractor and Subcontractors shall maintain and keep available for inspection by the Owner, a record of the names and addresses of all persons employed on the project.
- 45.3 All work shall be done by workers skilled in their various trades.
- 45.4 There shall be no discrimination in the selection of workers for employment on the project in respect of race, religious views or political affiliation, and the office of the Canada Manpower will be used in the recruitment of workers where practicable.
- 45.5 The Contractor shall pay fair wages and shall pay rates of wages and allowances to the various classes of labour not less favorable than those prevailing in the area where the work is being performed.

## GC46 PROVINCIAL PREFERENCE POLICY

46.1 Preference will be given to Newfoundland and Labrador Contractors and Subcontractors and to products manufactured, processed or supplied in Newfoundland and Labrador, in accordance with the Provincial Preference Act, associated regulations and guidelines.

# GC47 TIME OF ESSENCE

47.1 Time is of the essence of the Contract.



AGREEMENT BETWEEN OWNER AND CONTRACTOR for use when a unit price forms the basis of payment and to be used only with the General Conditions of the Contract

THIS AGREEMENT made in duplicate the

day of

in the year two thousand-fourteen.

## BY AND BETWEEN

Her Majesty the Queen in Right of Newfoundland and Labrador as represented by the Minister of Transportation and Works acting pursuant to the Executive Council Act, SNL 1995 c. E-16.1.

hereinafter called the "Owner"

AND X

hereinafter called the "Contractor"

WITNESSETH: that the Owner and Contractor undertake and agree as follows:

#### **ARTICLE A-1 THE WORK**

The Contractor shall:

- (a) perform all the Work required by the Contract Documents for PROJECT NO. 10-14PHP (See Tender Form for Description) which have been signed in duplicate by both the parties,
- (b) do and fulfil everything indicated by this Agreement, and
- (c) commence the Work by the day of 2014 and substantially perform the Work of this Contract as certified by the Engineer by the 30th day of September, 2015.
- (d) The "Engineer" is the person designated as such from time to time by the Owner.

#### ARTICLE A-2 CONTRACT DOCUMENTS

The following is an exact list of the Contract Documents referred to in Article A-1: (SEE TABLE OF CONTENTS FOR LIST OF DOCUMENTS AND DRAWINGS).

## **ARTICLE A-3 CONTRACT PRICE**

The Owner shall pay to the Contractor in lawful money of Canada for the performance of the Contract, the amounts determined for each of the items of work completed at the unit price stated in the unit price table, subject to the adjustments provided herein and in the General Conditions of the Contract. The quantities contained in the unit price table are approximate only, and the final payment shall be made for the actual quantities that are incorporated in or made necessary by the work covered by the Contract.

THE CONTRACT PRICE IS xxx (\$x) (including HST) in Canadian funds which price shall be subject to adjustments as may by required in accordance with the General Conditions of the Contract.

## **ARTICLE A-4 PAYMENT**

- (a) Subject to applicable legislation and, where such legislation does not exist or apply, in accordance with such prescribed regulations or industry practice respecting holdback percentages and in accordance with the provisions of the General Conditions of the Contract, the Owner shall:
  - make monthly payments to the Contractor on account of the Contract Price. The amounts of such payments shall be as certified by the Engineer and



- upon Substantial Performance of the work as certified by the Engineer pay to the contractor any unpaid balance of holdback monies then due; and
- upon Total Performance of the Work as certified by the Engineer pay to the contractor any unpaid balance of the Contract Price then due.
- (b) If the Owner fails to make payments to the Contractor as they become due under the terms of this Contract in any award by a court, interest at the rate and in the manner specified in GC21-Certificates and Payments, shall become due and payable until payment. Such interest shall be calculated and added to any unpaid amounts monthly.

## **ARTICLE A-5 ADDRESSES FOR NOTICES**

All communications in writing between the parties or between them and the Engineer shall be deemed to have been received by the addressee if delivered to the individual or to a member of the firm or to an officer of the Corporation for whom they are intended or if sent by post or by facsimile addressed as follows:

The Owner at: Tendering and Contracts, Dept. of Transportation & Works

Ground Floor-West Wing, East Block, Confederation Bldg.

P.O. Box 8700, St. John's, NL, A1B 4J6

The Contractor at x

The Engineer at: G. Spencer, Regional Director, White Hills, St. John's, NL

## **ARTICLE A-6 SUCCESSION**

The General Conditions of the Contract hereto annexed, and all other aforesaid Contract Documents, are all to be read into and form part of this Agreement and the whole shall constitute the Contract between the parties and subject to law and the provisions of the Contract Documents shall enure to the benefit of and be binding upon the parties hereto, their respective heirs, legal representatives, successors and assigns.


IN WITNESS WHEREOF the parties hereto have executed this Agreement under their respective corporate seals and by the hands of their proper officers hereunto duly authorized.

SIGNED, SEALED AND DELIVERED in the presence of:

OWNER		CONTRACTOR	
Department of Transportation and We	orks		
		Name and Title (Print)	
Brent Meade, Deputy Minister	Date	Signed	Date
		Name and Title	
CORPORATE SEAL		Signed	Date
		Name and Title	



N.B. Where any legal jurisdiction, local practice or client requirement calls for proof of authority to execute this document, proof of such authority in the form of a certified copy of a resolution naming the person or persons in question as authorized to sign the Agreement for and on behalf of the Corporation or Partnership, should be attached.




Newfoundland Labrador

TRANSPORTATION AND WORKS
HIGHWAY DESIGN DIVISION PROJECT NO. 10-14 PHP LOCATION PLAN PART "A"

DRAWN BY B. Brogg


DATE: April 9, 2014



Newfoundland Labrador TRANSPORTATION AND WORKS HIGHWAY DESIGN DIVISION PROJECT NO. 10-14 PHP LOCATION PLAN PART B\*& \*C\*

DRAWN BY: B. Bragg

DATE: April 9, 2014



Newfoundland Labrador


TRANSPORTATION AND WORKS

HIGHWAY DESIGN DIVISION

PROJECT NO. 10-14 PHP LOCATION PLAN PART 'D'

DRAWN BY: B. Brogg


DATE: April 9, 2014



Newformuland Labrador TRANSPORTATION AND WORKS HIGHWAY DESIGN DIVISION PROJECT NO. 10-14 PHP LOCATION PLAN PART "E"

DRAWN BY: JM

DATE: Oct. 11/13



Newfoundland Lebrador


TRANSPORTATION AND WORKS
HIGHWAY DESIGN DIVISION PROJECT NO. 10-14 PHP LOCATION PLAN PART F

DRAWN BY: B. Brogg

DATE: April 9, 2014

# TOWN OF OLD PERLICAN STREET PAVING (2014) KELLY'S ROAD AND POLLY'S HILL





Harris & Associates
CONSULTING ENGINEERS & PROJECT MANAGERS
P.O. BOX 699, CARBONEAR, NEWFOUNDLAND

LIST OF DRAWNOS

ISSUED FOR TEMBER

M.A. No.

PROJECT No. 13-106

